

Date: 26.11.2022

To,

The Director
Ministry of Environment, Forest & Climate Change
KendriyaBhawan, 5th Floor, Sector "H" Aliganj
Lucknow (Uttar Pradesh)

Subject: Six monthly compliance reports of the conditions of Environmental Clearance for Proposed 125 KLD Grain based Distillery,25 KLPD Malt Spirit Plant and 4.5 MW Co-generation Power Plant at Village - Chiraura, Tehsil -Akbarpur, District - Kanpur Dehat (UP).by M/s Aarti Distilleries Private Limited (EC transferred from Rajasthan Liquors Limited) for the period of April, 2022 to September, 2022.

EC Ref. No.: J-11011/58/2018-IA-II (I), dated 18th September, 2019, EC transferred from Rajasthan Liquors Limited to Aarti Distilleries Private Limited on 14th September 2020.

Reg: SUBMISSION OF SIX MONTLY COMPLAINCE REPORT FOR PERIOD OFAPRIL, 2022 TO SEPTEMBER, 2022.

Dear Sir,

This is in connection to above mentioned subject, we are hereby submitting the six-monthly compliance report of the conditions of Environmental Clearance for Proposed 125 KLD Grain based Distillery, 25 KLPD Malt Spirit Plant and 4.5 MW Co-Generation Power Plant at village - Chiraura, Tehsil - Akbarpur, District - Kanpur Dehat by M/s Aarti Distilleries Private Limited (EC transferred from Rajasthan Liquors Limited), along with annexures as follows:

- 1. Copy of CTO
- 2. Environmental Clearance
- 3. Consent to establish
- 4. Ground Water NOC from UPPGWD
- 5. Ground Water Quality Monitoring report
- 6. Green Belt photographs
- 7. Online Monitoring System Photographs
- 8. Environmental Monitoring reports
- 9. Rain Water Harvesting Structure Photographs
- 10. The copy of published information (in newspapers) regarding grant of Environmental Cleaning

Thanking You, Your'ssincerely

Authorized Signator

M/s Aarti Distillenes Private Limited

Village Chiraura, Tehsil Akharpur, District Kanpur Dehat (UP)

/ID

COMPLIANCE REPORT

AS PER CONDITIONS STIPULATED IN THE ENVIRONMENTAL CLEARANCE J - 11011/58/2018 - IA II (I), dated 18rd September, 2019

Six Monthly Compliance Report (April-2022 to September-2022)

FOR

SETTING UP GRAIN BASED DISTILLERY of 125 KLD, MALT SPIRIT PLANT OF 25 KLD AND CO-GENERATION POWER PLANT OF 4.5 MW

AT

Village: Chiraura, Tehsil: Akbarpur, District: Kanpur Dehat (U.P.)

SUBMITTED BY

M/s Aarti Distilleries Private Limited

(EC transferred from Rajasthan Liquors Limited)
Registered Address First Floor,
7/22D, Tilak Nagar,
Kanpur, Uttar Pradesh - 208002

Six Monthly Compliance Report of Environmental Clearance for Setting up Grain based Distillery of 125 KLPD, Malt Spirit Plant of 25 KLPD and Co-generation Power Plant of 4.5 MW at Village: Chiraura, Tehsil: Akbarpur, District: Kanpur Dehat (U.P.) by M/s Aarti Distilleries Private Limited

EC Compliance April, 2022 to September, 2022

TABLE OF CONTENT

Sr. No	Title	Page No.			
CHAPTER	-1: INTRODUCTION AND PROJECT DESCRIPTION	04			
	CHAPTER-2: COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE 05 - 10				
CHAPTER	2-3: DETAILS OF ENVIRONMENTAL MONITORING	11 - 18			
3.1	AMBIENT AIR QUALITY MONITORING	11			
3.1.1	Ambient air Quality Monitoring Stations	11			
3.1.2	Ambient Air Quality Monitoring Methodology	11			
3.1.3	Ambient Air Quality Monitoring Results	12			
3.1.4	Discussion on Ambient Air Quality in the Study Area	12			
3.2	STACK EMISSION MONITORING	14			
3.2.1	Stack Emission Monitoring Methodology	14			
3.3	AMBIENT NOISE MONITORING	14			
3.3.1	Ambient Noise Monitoring Locations	14			
3.3.2	Methodology of Noise Monitoring	15			
3.3.3	Ambient Noise Monitoring Results	15			
3.3.4	Discussion on Ambient Noise Levels in the Study Area	16			
3.4	GROUND WATER QUALITY MONITORING	16			
3.4.1	Ground water Quality Monitoring Locations	16			
3.4.2	Methodology of ground water Quality Monitoring	17			
3.4.3	Ground water Quality Monitoring Results	17			
3.5	SOIL MONITORING	18			
3.5.1	Soil Monitoring Locations	18			
3.5.2	Methodology of Soil Monitoring	19			
3.5.3	Soil Monitoring Results	19			
3.5.4	Discussion on Soil Characteristics in the Study Area	19			

Six Monthly Compliance Report of Environmental Clearance for Setting up Grain based Distillery of 125 KLPD, Malt Spirit Plant of 25 KLPD and Co-generation Power Plant of 4.5 MW at Village: Chiraura, Tehsil: Akbarpur, District: Kanpur Dehat (U.P.) by M/s Aarti Distilleries Private Limited

EC Compliance April, 2022 to September, 2022

Sr. No.	List of Table	Page No.		
1.	Table-3.1: Details of Ambient Air Quality Monitoring Stations	11		
2.	Table-3.2: Techniques used for Ambient Air Quality Monitoring	12		
3.	Table-3.3: Ambient Air Quality Monitoring Results at Near Construction Office	12		
4.	Table-3.4: Ambient Air Quality Monitoring Results at Adjacent to Swadishth Oil Mill			
5.	Table-3.5: Details of Stack Emission Monitoring Results	15		
6.	Table-3.6: Details of Ambient Noise Monitoring Stations	15		
7.	Table-3.7: Ambient Noise Monitoring Results	15		
8.	Table-3.8: Details of Water Quality Monitoring Station	17		
9.	Table-3.9: Ground water Quality Results at Borewell (within premises) (September, 2022)			
10.	Table-3.10: Details of Soil Monitoring Stations	18		
11.	Table-3.11: Physico-Chemical Characteristics of Soil at near Plant Site	19		

Sr. No.	List of Figures	Page No.
1.	Figure-3.1: Graphs Showing PM ₁₀ Concentration at all sites	13
2.	Figure-3.2: Graphs Showing PM _{2.5} Concentration at all sites	13
3.	Figure-3.3: Graphs Showing SO ₂ Concentration at all sites	14
4.	Figure-3.4: Graphs Showing NO _X Concentration at all sites	14
5.	Figure-3.5: Day and Night Time noise Level at Near Project Site	16

EC Compliance April, 2022 to September, 2022

CHAPTER-1: INTRODUCTION AND PROJECT DESCRIPTION

Six monthly environmental compliance/status report is submitted for Setting up Grain based Distillery of 125 KLD, Malt Spirit Plant of 25 KLD and Co-generation Power Plant of 4.5 MW by M/s Aarti Distilleries Private Limited for April, 2022 to September, 2022. The Project is located at Village: Chiraura, Tehsil: Akbarpur, District: Kanpur Dehat (U.P.). Prior Environment Clearance was obtained from Ministry of Environment & Forests (MoEFCC) wide letter no.: J-11011/58/2018-IA-II (I), dated 18th September, 2019. Consent to Operate for both (Air & Water) has already been obtained for the project Vide Ref No. 152527/UPPCB/KanpurDehat(UPPCBRO)/CTO/both/KANPURDEHAT/2022, dated 24/03/2022 for validity upto 31/12/2023. Copy of CTO is attached here as Annexure-1

Specific and general conditions stipulated in Environment Clearance have been complied during construction phases.

Environmental mitigation measures described in Environmental Management Plan are being implemented construction phase and operation phase. M/s Aarti Distilleries Private Limited (old name M/s Rajasthan Liquors Limited). Management team is fully conscious about Environmental Management and enhancing green belt development in project surrounding area.

Six monthly compliance/status reports for April, 2022 to September, 2022 for conditions stipulated in the Environmental Clearance letter issued by MoEF are enclosed as **Annexure-2**. Photographs view of implemented mitigation measures are also attached for the ready reference as photo documentation.

EC Compliance April, 2022 to September, 2022

CHAPTER – 2: COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

Name of the Project: Setting up Grain based Distillery of 125 KLPD, Malt Spirit Plant of 25 KLPD and Co-generation Power Plant of 4.5 MW at Village: Chiraura, Tehsil: Akbarpur, District: Kanpur Dehat (U.P.) by M/s Aarti Distilleries Private Limited.

Clearance Letter No: J-11011/58/2018-IA-ll (I), dated 18th September, 2018

Period of Compliance Report: (April, 2022 to September, 2022)

A - SPECIFIC CONDITIONS

Sr. No	Conditions	Reply	
i-	Necessary permission as mandated under the	Condition Noted.	
	Water (Prevention and Control of Pollution)	Currently project is in operation phase,	
	Act, 1974 and the Air (Prevention and	All the necessary permission as	
	Control of Pollution) Act, 1981, as applicable	mandated under the Water (Prevention	
	from time to time, shall be obtained from the	and Control of Pollution) Act, 1974 and	
	State Pollution Control Board as required.	the Air (Prevention and control Act),	
		1981 as applicable has been obtained	
		from UPPCB.	
		Consent to establish and consent to	
		operate (Air and Water) from UPPCB has been obtained.	
		Copy of both is enclosed as Annexure- 1	
		& 3.	
ii-	As already committed by the project	Noted and is being complied.	
	proponent, Zero Liquid Discharge shall be	Spent wash generated is being first fed	
	ensured and no waste/treated water shall be		
	discharged outside the premises.	then supernatant is being concentrated in	
		MEE. Concentrate from MEE is being	
		mixed with wet cake of decanter and	
		converted into the Cattle feed.	
iii-	Necessary authorization required under the	Condition Noted and Necessary	
	Hazardous and Other Wastes (Management	authorization required under the	
	and Trans-Boundary Movement) Rules,	Hazardous and Other Wastes	
	2016, Solid Waste Management Rules, 2016	(Management and Trans-Boundary	
	shall be obtained and the provisions	Movement) Rules, 2016, Solid Waste	
	contained in the Rules shall be strictly	Management Rules, 2016, will be	
•	adhered to.	obtained during operation phase.	
iv-	To control source and the fugitive emissions,	Water sprinkling is being done on road	
	suitable pollution control devices shall be	used for transportation of raw material.	
	installed to meet the prescribed norms and/or		

	the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as		
	per CPCB/SPCB guidelines.		
V-	Coal shall not be used as fuel in boiler.	Condition Noted	
v- vi-	Total fresh water requirement shall not	Noted and prior permission from	
VI-	exceed 1354 cum/day proposed to be met	Ground Water Department of Uttar	
	from ground water. Prior permission shall be	Pradesh has been obtained. Copy of	
	obtained from the concerned regulatory	same is enclosed as Annexure-4 .	
	authority/CGWA in this regard.	Ground Water Quality monitoring report	
	authority, e.e. (171 in this regard)	is attached as Annexure – 5.	
vii-	Hazardous chemicals shall be stored in tanks,	Hazardous Chemical is being stored in	
	tank farms, drums, carboys etc. Flame	dedicated.	
	arresters shall be provided on tank farm and		
	the solvent transfer through pumps.		
viii-	Process organic residue and spent carbon, if	Yeast sludge is collected as wet cake	
	any, shall be sent to cement industries. ETP	from Decanter and mixed with Slop	
	sludge, process inorganic & evaporation salt	obtained from MEE.	
	shall be disposed off to the TSDF	Mixture is being further dried in	
		Decanter and utilised as Cattle feed.	
ix-	The Company shall strictly comply with the	Noted and is being complied.	
	rules and guidelines under Manufacture,		
	Storage and Import of Hazardous Chemicals		
	(MSIHC) Rules, 1989 as amended time to		
	time. All transportation of Hazardous		
	Chemicals shall be as per the Motor Vehicle	ic	
Х-	Act (MVA), 1989. The company shall undertake waste minimiz	zation magguras as balow.	
	Metering and control of quantities of active	Noted and is being complied as per	
a.	ingredients to minimize waste.	EMP submitted to MOEF&CC.	
b.	Reuse of by-products from the process as raw	Point is noted. Wet Cake obtained from	
D.	materials or as raw material substitutes in	Decanter is being further converted into	
	other processes.	Cattle feed.	
c.	Use of automated filling to minimize spillage.	Noted and is being complied.	
d.	Use of Close Feed system into batch reactors.	Noted and is being complied.	
e.	Venting equipment through vapour recovery	Noted and is being complied.	
	system.	,	
f.	Use of high-pressure hoses for equipment	Noted and is being complied.	
	clearing to reduce wastewater generation.		
xi-	The green belt of 5-10 m width shall be	33 % of total plant area is develop as	
	developed in more than 33% of the total	green belt. It will be maintained in	
	project area, mainly along the plant	future also.	
	periphery, in downward wind direction, and	Plantation photographs attached as	
	along road sides etc. Selection of plant	Annexure- 6.	
1	species shall be as per the CPCB guidelines		

	in consultation with the State Forest	-
	Department.	
xii-	All the commitments made regarding issues raised during the public hearing/ consultation meeting shall be satisfactorily implemented.	Noted and will be Complied
xiii-	At least 3.5% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	Point is noted and under process.
xiv-	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Stack height is provided as per norms, emission from the stack will be within CPCB norms. Acoustic enclosure is being provided with DG set to reduce the Noise pollution.
XV-	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	NOC from fire department has been obtained.
xvi-	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act	Noted and regular health surveillance of the worker shall be done on regular basis.
xvii-	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	For parking, adequate provision already made.
xviii-	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Raw material (Grains) is being stored in Silos.
xix-	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Continuous online (24x7) monitoring system for stack emissions has been installed and Connected to UPPCB and CPCB server. Copy of photographs attached as Annexure – 7.
XX-	CO ₂ generated from the process shall be bottled/made solid ice and sold to authorized	Noted and Complied.
	source/made sond ice and sold to authorized	

	Vendors.	
xxi-	Every production batch shall take prior	Noted
	approval from the concerned regulatory	
	authority that raw grain is unfit for human	
	consumption.	
xxii-	Grain shall be tested for micro toxins from	Noted and regular health surveillance of
	the Govt. laboratory and aware the workers	the worker shall be done on regular
	related to grain dust. Regular medical	basis.
	checkup campaign shall be carried out for the	
	same. Mask and gloves shall be provided to	
	the workers along with training.	

B-GENERAL CONDITIONS

Sr. No	Conditions	Reply	
i-	The project authorities must strictly adhere to	Noted and will be Complied	
	the stipulations made by the state Pollution		
	Control Board (SPCB), State Government and/		
	or any other statutory authority.		
ii-	No further expansion or modifications in the	Condition Noted	
	plant shall be carried out without prior approval		
	of the Ministry of Environment, Forest and		
	Climate Change. In case of deviations or		
	alterations in the project proposal from those		
	submitted to this Ministry for clearance, a fresh		
	reference shall be made to the Ministry to		
	assess the adequacy of conditions imposed and		
	to add additional environmental protection		
	measures required, if any.		
iii-	The locations of ambient air quality monitoring		
	stations shall be decided in consultation with	ambient air quality monitoring and	
	the State Pollution Control Board (SPCB) and	monitoring report of the same is	
	it shall be ensured that at least one stations each		
	is installed in the upwind and downwind		
	direction as well as where maximum ground		
	level concentrations are anticipated.		
iv-	The National Ambient Air Quality Emission	Ambient Air Quality monitoring reports	
	Standards issued by the Ministry vide G.S.R.	are attached as Annexure-8.	
	No. 826(E) dated 15th November, 2009 shall		
	be complied with.	Ambient Noise Overlity manifesting	
V-	The overall noise levels in and around the plant	Ambient Noise Quality monitoring	
	area shall be kept well within the standards by	reports are attached as Annexure-8.	
	providing noise control measures including		
	acoustic hoods, silencers, enclosures etc. on all		

	sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	
vi-	The Company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.	Condition Noted and rain water harvesting system has been constructed as per norms. Photographs of the same is attached as Annexure – 9.
vii-	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.	Noted and regular health surveillance of the worker shall be done on regular basis.
viii-	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.	Noted and Complied.
ix-	The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.	Noted and will be Complied
Х-	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Separate environmental Cell has been established and Laboratory facility provided within premises.
xi-	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control	Noted and Complied.

	measures shall not be diverted for any other purpose.		
xii-	A copy of the clearance letter shall be sent by	Copy of the clearance letter have been	
XII-			
	the project proponent to concerned Panchayat,	already sent by the project proponent to	
	Zila Parishad/ Municipal Corporation, Urban	concerned Panchayat, Zila Parishad/	
	local Body and the local NGO, if any, from	Municipal Corporation, Urban local	
	whom suggestions/ representations, if any,	Body and the local NGO.	
	were received while processing the proposal.		
xiii-	The project proponent shall also submit six	Noted and Complied.	
	monthly reports on the status of compliance of		
	the stipulated Environmental Clearance		
	conditions including results of monitored data		
	(both in hard copies as well as by e-mail) to the		
	respective Regional Office of MoEF & CC, the		
	respective Zonal office of CPCB and SPCB. A		
	1 -		
	copy of Environmental Clearance and six-		
	monthly compliance status report shall be		
	posted on the website of the company.		
xiv-	The environmental statement for each financial	Noted and will be Complied	
	year ending 31st March in Form-V as is		
	mandated shall be submitted to the concerned		
	State Pollution Control Board as prescribed		
	under the Environment (Protection) Rules,		
	1986, as amended subsequently, shall also be		
	put on the website of the company along with		
	the status of compliance of environmental		
clearance conditions and shall also be sent to			
	the respective Regional offices of MoEF&CC		
	by e-mail.		
XV-	The project proponent shall inform the public	The copy of published information (in	
1	that the project has been accorded	newspapers) regarding grant of	
	environmental clearance by the Ministry and	Environmental Clearance is enclosed	
	copies of the clearance letter are available with	as Annexure – 10.	
	the SPCB/Committee and may also be seen at	as Annexure – 10.	
	· · · · · · · · · · · · · · · · · · ·		
	Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from		
	This shall be advertised within seven days from		
	the date of issue of the clearance letter, at least		
	in two local newspapers that are widely		
	circulated in the region of which one shall be in		
	the vernacular language of the locality		
	concerned and a copy of the same shall be		
	forwarded to the concerned Regional office of		
	the Ministry.		

CHAPTER-3: DETAILS OF ENVIRONMENTAL MONITORING

3.1 AMBIENT AIR QUALITY MONITORING

3.1.1 Ambient air Quality Monitoring Stations

Ambient air quality monitoring has been carried out Near Construction Office & Adjacent to Swadishth Oil Mill to assess the ambient air quality. Three stations have been selected at 120° from the center. This will enable to have analytical understanding about air quality and the changes in the air environment in the study area with respect to the condition prevailing. The locations of the ambient air quality monitoring stations are given in **Table-3.1**.

Table-3.1: Details of Ambient Air Quality Monitoring Stations

Sr. No	Location Code	Location Name/Description	Environmental Setting of Surrounding
1.	AAQ-1	Near Construction Office	Industrial
2.	AAQ-2	Adjacent to Swadishth Oil Mill	Industrial

AAQ-1: Near Construction Office

The sampler was placed Near Construction Office and was free from any obstructions. Surroundings of the sampling site represent industrial environmental setting.

AAQ- 2: Adjacent to Swadishth Oil Mill

The sampler was placed Adjacent to Swadishth Oil Mill and was free from any obstructions. Surroundings of the sampling site represent industrial environmental setting.

3.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- Respirable Suspended Particulate Matter (PM₁₀)
- Fine Particulate Matter (PM_{2.5})
- Sulphur Dioxide (SO₂)
- Oxides of Nitrogen (NOx)

The duration of sampling of PM_{10} , $PM_{2.5}$, SO_2 and NO_X was 24 hourly continuous sampling per day duration monitoring. The monitoring was conducted for one day at the location. This is to allow a comparison with the National Ambient Air Quality Standards.

The air samples were analyzed as per standard methods specified by Central Pollution Control Board (CPCB) and IS: 5182. The techniques used for ambient air quality monitoring and minimum detectable levels are given in **Table-3.2**. Fine Particulate Sampler instruments have been used for monitoring Particulate Matter 2.5 (PM_{2.5} i.e. <2.5 microns), and Respirable Dust Sampler with gaseous sampling attachment was used for sampling Respirable fraction (<10 microns), gaseous pollutants like SO₂, and NOx.

Table-3.2 Techniques used for Ambient Air Quality Monitoring

Sr. No	Parameter	Technique	Range of Testing
1.	Respirable Suspended Particulate Matter (PM ₁₀)	Respirable Dust Sampler, with cyclone separator, Gravimetric Method	5.0 - 1200
2.	Fine Particulate Matter (PM _{2.5})	Fine Particulate Sampler, Gravimetric Method	2.0 - 500
3.	Sulphur dioxide	Modified West and Gaeke	5.0 - 1050
4.	Oxides of Nitrogen	Jacob & Hochheiser	6.0 - 750

3.1.3 Ambient Air Quality Monitoring Results

Ambient Air quality monitoring results for PM_{2.5}, PM₁₀, SO₂ and NO_X at all three locations are presented in **Table-3.3 & Table-3.4** respectively.

Table-3.3: AAQ Results at Near Construction Office

Sr. No	Particulars	Protocol	Protocol Unit Result Range of testing /limit of detection		testing /limit	Standard as per NAAQS; dated 18/11/ 2009
1	Particulate matters size less than 10 μm (PM ₁₀)	IS: 5182 (Part-23): 2006 Reaffirmed: 2017	μg/m³	88.5	5.0 - 1200	For 24 hour =100
2	Particulate matters size less than 2.5 µm (PM _{2.5})	IS: 5182 (Part-24): 2019	μg/m³	g/m ³ 38.26 2.0 - 5		For 24 hour =60
3	Sulphur Dioxides (SO ₂)	IS: 5182 (Part-2): 2001 Reaffirmed: 2017	μg/m³	29.95	5.0 - 1050	For 24 hour =80
4	Oxides of nitrogen (NO _X)	IS: 5182 (Part-6): 2006 Reaffirmed: 2017	μg/m³	24.78	6.0 - 750	For 24 hour =80

Table-3.4: AAQ Results at Adjacent to Swadishth Oil Mill

Sr. No	Particulars	Protocol	Unit Result te		Range of testing /limit of detection	Standard as per NAAQS; dated 18/11/ 2009
1	Particulate matters size	IS: 5182 (Part-23): 2006	μg/m³	92.6	5.0 - 1200	For
	less than 10 μm (PM ₁₀)	han 10 μ m (PM ₁₀) Reaffirmed: 2017		7 - 1 2		24 hour =100
2	Particulate matters size	IS: 5182 (Part-24): 2019	μg/m³	41.98	2.0 - 500	For
	less than 2.5 μm (PM _{2.5})	15. 5102 (1 art 24). 2017	μg/III	41.70	2.0 300	24 hour =60
3	Sulphur Diavidas (SO.)	IS: 5182 (Part-2): 2001		20.22	5.0 - 1050	For
3	Sulphur Dioxides (SO ₂)	Reaffirmed: 2017	μg/m ³	20.22	3.0 - 1030	24 hour =80
4	Ovides of vitue sen (NO.)	IS: 5182 (Part-6): 2006	3	24.50	6.0. 750	For
4	Oxides of nitrogen (NO _X)	Reaffirmed: 2017	μg/m ³	24.78	6.0 - 750	24 hour =80

3.1.4 Discussion on Ambient Air Quality in the Study Area

The value of PM₁₀ at Ambient Air Monitoring Station No: 1 & 2 are 88.5 μ g/m³, 92.6 μ g/m³ which were within permissible limit of 100 μ g/m³ and PM_{2.5} levels are 38.26 μ g/m³ at Station No: 1 and 41.98 μ g/m³ at Station No: 2, were also observed within permissible limit of 60 μ g/m³ (for residential, rural and other areas as stipulated in the National Ambient Air Quality

Standards). SO_2 ranges between 20.22 $\mu g/m^3$ to 29.95 $\mu g/m^3$ and NO_X ranges between 24.78 $\mu g/m^3$ was also observed within the corresponding stipulated limits (Limit for SO_2 and NO_X ; 80 $\mu g/m^3$) at both monitoring locations. Station wise variation of ambient air quality parameters has been graphically shown in **Figure-3.1 to 3.4**.




Figure-3.1: Graphs Showing PM₁₀ Concentration at all sites




Figure-3.2: Graphs Showing PM_{2.5} Concentration at all sites




Figure-3.3: Graphs Showing SO₂ Concentration at all sites




Figure-3.4: Graphs Showing NO_X Concentration at all sites

3.2 STACK EMISSION MONITORING

Stack Emission monitoring was carried out by EPA approved Laboratory on date 12.09.2022 for stack attached with 40.0 TPH boiler (ESP is used as Air Pollution Control Device with a stack height of 55.0 meter).

3.2.1 Stack Emission Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

• Particulate Matter (PM)

The Method used for Stack Emission monitoring and range of testing with CPCB standard are given in **Table-3.5.**

Table-3.5: Details of Stack Emission Monitoring Results

Sr. No.	Parameter	Unit	Protocol	Result	Range of Testing/ Limit of Detection	Standard (as per CPCB)
1	Particulate Matter	mg/Nm³	IS: 11255 (Part-1): 1985 Reaffirmed: 2019	48.2	2.0 - 1000	150

3.3 AMBIENT NOISE MONITORING

3.3.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels near project site due to various construction activities and increased vehicular movement. A preliminary reconnaissance survey has been undertaken to identify the major noise generating sources in the area. Ambient noise monitoring was conducted at 1 location as given in **Table-3.6**.

Table-3.6: Details of Ambient Noise Monitoring Stations

Ī	Sr. No	Location Code	Location name and description	Present Land use
	1.	NQ-1	Near Project Site	Industrial

3.3.2 Methodology of Noise Monitoring

Noise levels were measured using sound level meter. Noise level monitoring was carried out continuously for 24-hours with one-hour interval starting at 06:00 hrs to 06:00 hrs next day. The noise levels were monitored on working days only. During each hour Leq were directly computed by the instrument based on the sound pressure levels. Monitoring was carried out at 'A' response.

3.3.3 Ambient Noise Monitoring Results

The location wise ambient noise monitoring results is summarized in **Table-3.7**. The noise levels are graphically presented in **Figure-3.5**.

Table-3.7: Ambient Noise Monitoring Results

Ambient Noise Level					
Sr. No.	Parameter	Unit	DAY TIME (6:00 AM - 10:00 PM)	NIGHT TIME (10:00 PM - 6:00 AM)	
1	Equivalent sound level	dB(A)	62.46	54.38	




Figure 3.5: Day and Night Time noise Level at Near Project Site

Noise	Noise Standards as per CPCB Schedule rule 3(1) and 4(1)							
Area	Category of	Limits in dB(A) Leq						
Code	Area/Zone	Day Time	Night Time					
A	Industrial Area	75	70					
В	Commercial Area	65	55					
С	Residential Area	55	45					
D	Silence Zone	50	40					

Silence Zone: No Siilence zone is present within or arround the industry.

3.3.4 Discussion on Ambient Noise Levels in the Study Area

Day Time Noise Levels (Lday):

The day time noise level at monitoring station was found 62.46 dB(A), which is within limits prescribed for industrial area i.e. 75 db (A).

Night Time Noise Levels (Lnight):

The night time noise level at monitoring station was found 54.38 dB(A), which is within limit prescribed for industrial area i.e. 70 dB (A).

3.4 GROUND WATER QUALITY MONITORING

3.4.1 Ground water Quality Monitoring Locations

Keeping in view the importance of ground water, sample of ground water was collected from the project site for the assessment of impacts of the project on the groundwater quality.

Water sample was collected from the project site. The sample was analyzed for various parameters to compare with the standards for Ground water as per IS: 10500 for Groundwater sources. The details of water sampling locations are given in **Table-3.8**.

Six Monthly Compliance Report of Environmental Clearance for Setting up Grain based Distillery of 125 KLPD, Malt Spirit Plant of 25 KLPD and Co-generation Power Plant of 4.5 MW at Village: Chiraura, Tehsil: Akbarpur, District: Kanpur Dehat (U.P.) by M/s Aarti Distilleries Private Limited

EC Compliance April, 2022 to September, 2022

Table-3.8: Details of Water Quality Monitoring Station

Sr. No	Location Code	Location name and description	Date of Monitoring
1.	GW-1	Borewell (within premises)	13 th September, 2022

3.4.2 Methodology of ground water Quality Monitoring

Sampling of ground water was carried out on 13.09.2022. Samples were collected as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedures (SOP) and stored immediately in ice boxes, which were ensured for appropriate temperatures. Sample for chemical analysis was collected in polyethylene carboys. Sample collected for metal content were acidified to <2 pH with 1 ml HNO3. A sample for bacteriological analysis was collected in sterilized glass bottles.

Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported by road to Environmental & Technical Research Centre, Lucknow for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis.

The samples were analyzed as per the standard procedures specified in 'Standard Methods for the Examination of Water and Waste water' published by American Public Health Association (APHA) and CPCB. The analytical techniques and the test methods adopted for testing of ground water are given in **Table-3.9**.

3.4.3 Ground water Quality Monitoring Results

The detailed Ground water quality monitoring results are presented in **Table-3.9**

Table-3.8: Ground water Quality Results at Borewell (within premises) (September, 2022)

Sr. No	Test Parameter	Unit	Protocol/Test Method	Result	Range of testing		Standard): 2012		
110					/mint of detection	Desirable	Permissible		
	Physico-chemical Parameters								
1	Colour	Hazen	IS: 3025 (Part-4): 1983 Reaffirmed: 2017	<5.0	5 - 30	5	15		
2	Odour	-	IS: 3025 (Part-5): 1983 Reaffirmed: 2017	Agreeable Qualitative		Agreeable	Agreeable		
3	рН	-	APHA 23 rd Ed. 2017-4500 H ⁺	7.5 1 - 14		6.5-8.5	No Relaxation		
4	Turbidity	NTU	APHA 23 rd Ed. 2017-2130 B	<2.0	2 - 40	1	5		
5	Total Dissolved Solids (TDS)	mg/l	IS: 3025 (Part-16): 1984 Reaffirmed: 2017	346.0	10 - 5000	500	2000		
6	Ammonia (as total ammonia-N)	mg/l	APHA 23 rd Ed. 2017-4500-NH ₃ F	<0.5	0.5 - 10	0.5	No Relaxation		
7	Anionic Detergents (as MBAS)	mg/l	APHA 23 rd Ed. 2017-5540 C	<0.05	0.05 - 0.5	0.2	1.0		
8	Calcium as Ca	mg/l	IS: 3025 (Part-40): 1991 Reaffirmed: 2019	51.30	2.0 - 600	75	200		
9	Magnesium as Mg	mg/l	APHA 23 rd Ed. 2017-3500 Mg, B	27.21	0.1 - 200	30	100		
10	Chloride as Cl	mg/l	APHA 23 rd Ed. 2017-4500-CI B	20.02	2.0 - 2000	250	1000		
11	Fluoride as F	mg/l	APHA 23 rd Ed. 2017-4500 F ⁻ C	0.42	0.02 - 5.0	1.0	1.5		
12	Free Residual Chlorine	mg/l	IS: 3025 (Part-26): 1986 Reaffirmed: 2019	<0.1	0.1 - 5.0	0.2	1.0		

13	Nitrate as NO ₃	mg/l	IS: 3025 (Part-34): 1986 Reaffirmed: 2019	<1.0	1.0 - 70	45	No Relaxation
14	Phenolic Compound (as C ₆ H ₅ OH)	mg/l	APHA 23 rd Ed. 2017-5530 C	<0.001	0.001 - 0.005	0.001	0.002
15	Sulphate as SO ₄	mg/l	APHA 23 rd Ed. 2017-4500- SO ₄ ² -	32.8	1.0 - 500	200	400
16	Alkalinity as CaCO ₃	mg/l	APHA 23 rd Ed. 2017-2320 B	324.0	2.0 - 1000	200	600
17	Total Hardness as CaCO ₃	mg/l	APHA 23 rd Ed. 2017-2340 C	240.0	5.0 - 800	200	600
18	Aluminium as Al	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.015	0.015 - 5.0	0.03	0.2
19	Boron as B	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.05	0.05 - 2.0	0.5	1.0
20	Copper as Cu	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.03	0.03 - 10	0.05	1.5
21	Iron as Fe	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	0.16	0.05 - 20	0.3	No Relaxation
22	Manganese as Mn	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	0.06	0.02 - 5.0	0.1	0.3
23	Zinc as Zn	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	0.82	0.05 - 15	5	15
24	Cadmium as Cd	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.05	0.05 - 2.0	0.003	No Relaxation
25	Lead as Pb	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.01	0.01 - 10	0.01	No Relaxation
26	Mercury as Hg	μg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.5	0.5 - 1000	1.0	No Relaxation
27	Nickel as Ni	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.05	0.05 - 5.0	0.02	No Relaxation
28	Arsenic as As	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.02	0.02 - 2	0.01	0.05
29	Total Chromium	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	<0.03	0.03 - 5.0	0.05	No Relaxation
			Microbiological Parar	neters			
30	E. coli	MPN/ 100 ml	IS: 1622 - 1981 Reaffirmed: 2019	Absent	≥ 2 MPN Present or Absent per 100 ml		detected in any al sample
31	T. coli	MPN/ 100 ml	IS: 1622 - 1981 Reaffirmed: 2019	Absent	≥ 2 MPN Present or Absent per 100 ml		detected in any al sample

3.5 SOIL MONITORING

3.5.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil quality and also predict impacts, which have arisen due to execution of various construction activities. Accordingly, a study of assessment of the soil quality has been carried out.

To assess impacts of ongoing project activities on the soil in the area, the Physico-chemical characteristics of soils were examined by obtaining soil samples from selected points and analysis of the same. Single sample of soil was collected from the project site for studying soil characteristics, the location of which is listed in **Table-3.10**.

Table-3.10: Details of Soil Monitoring Stations

Sr. No	Location Code	Location name and description			
1.	SQ-1	Project Site (Within Premises)			

EC Compliance April, 2022 to September, 2022

3.5.2 Methodology of Soil Monitoring

The sampling has been done in line with IS: 2720 & Methods of Soil Analysis, Part-1st, 2nd Edition, 1986 of American Society for Agronomy and Soil Science Society of America. The homogenized samples were analyzed for physical and chemical characteristics (physical, chemical and heavy metal concentrations). The soil samples were collected in the month of March on 13.09.2022.

The samples have been analyzed as per the established scientific methods for Physico-chemical parameters. The heavy metals have been analyzed by using Atomic Absorption Spectro-photometer.

3.5.3 Soil Monitoring Results

Single sample of soil is collected from the site to check the quality of soil of the study area. The Physico-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in **Table-3.11**.

Table-3.11: Physico-Chemical Characteristics of Soil at near Plant Site

Sr. No.	Test Parameter	Unit	Protocol/Test Method	Result	Range of testing /limit of detection
1	pН	-	IS: 2720 (Part-26): 1987 Reaffirmed: 2016	7.5	1 - 14
2	Electrical Conductivity	μmhos/cm	IS: 14767:2000 Reaffirmed:2016	288.0	1.0 - 40000
3	Moisture content	%	IS: 2720 (Part-2): 1973 Reaffirmed: 2015	4.62	1.0 - 50
4	Copper	mg/kg	ETRC/ LABSOPS/07	4.82	0.3 - 500
5	Zinc	mg/kg	ETRC/ LABSOPS/08	16.72	1.0 - 500
6	Iron	mg/kg	ETRC/ LABSOPS/09	312.0	5.0 - 500
7	Manganese	mg/kg	ETRC/ LABSOPS/10	178.4	5.0 - 500
8	Sulphur	Kg/Hec	IS:14685: 1999 Reaffirmed: 2014	22.8	5.0 - 100

3.5.4 Discussion on Soil Characteristics in the Study Area

The soil in study area is characterized by moderate organic content. The soil quality in the project area has not been affected by the project activities.

Annexure-1

Copy of CTO



Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

152527/UPPCB/KanpurDehat(UPPCBRO)/CTO/both/KANPUR DEHAT/2022 Date: 24/03/2022

To,

M/s

AARTI DISTILLERIES PRIVATE LIMITED

Village- Chiraura, Tehsil- Akbarpur, District- Kanpur Dehat (U.P.), KANPUR DEHAT, 208002

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981"

Consent No-15481959	Date-24/03/2022
Consent I to 15 101757	Date 2 1/05/2022

CCA is hereby granted to **AARTI DISTILLERIES PRIVATE LIMITED** located at **Village- Chiraura**, **Tehsil- Akbarpur**, **District- Kanpur Dehat (U.P.),KANPUR DEHAT,208002**. subject to the provisions of **the Water Act**, **Air Act** and the orders that may be made further and subject to following terms and conditions:

1. This CCA AARTI DISTILLERIES PRIVATE LIMITED granted for the period from 23/03/2022 to 31/12/2023 and valid for manufacturing of following products with Capital Investment/Net Assets Values 17500.00 Lakhs

S No	Product	Quantity	Unit
1	Rectified Sprit/INA/GNS	125	Kilo Liters/Day
2	IMFL/CL Bottling Units	12000	Numbers/Day
3	Co-Gen Power	4.5	Megawatt

- 2. Specific Conditions under Water Act :-
- (i) The daily quantity of effluent discharge (KLD):-

Kind of Effulant	Quantity(KLD)	Treatment facility and discharge point		
Domestic	12.0	Septic Tank		
Industrial	ZLD	ЕТР		

(ii) Trade Effluent Treatment and Disposal:-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

Industrial Effluent Quality Standard						
S.No.	Parameter	Standard				

- (iv) Sewage Treatment and Disposal:- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.
- (v) The treated sewage shall be reused in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards.

S No.	Parameters	Standards
1	Fecal Coliform (MPN/100ml)	1000
2	BOD (mg/L)	30
3	TSS (mg/L)	100

- 3. Conditions under Air Act:-
- i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

	Air Pollution Source Details								
S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack				
1	Boiler-40 TPH	Rice Husk	01	Particulate Matter	55 meter high stack with ESP.				
2	D.G. Set- 1000 KVA	HSD	02	Particulate Matter	As per norms with acoustic enclosure.				
3	D.G. Set- 1000 KVA	HSD	03	Particulate Matter	As per norms with acoustic enclosure.				

S No.	Stack no	n Quality Standards Parameters	Standards
1	01	Particulate Matter	150 mg/Nm3
2	02	Particulate Matter	less than or equal to 0.2 g/kW-hr
3	03	Particulate Matter	less than or equal to 0.2 g/kW-hr

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be

dispatched immediately

ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows:-

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

(iii) The unit will not use any type of restricted fuel.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time		Night Time		Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

6. Compulsory documents to be submitted by the Industry/Unit:-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- 7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
- 8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- 9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.

RAJENDRA SINGH Date: 2022.04.28 Chief Environmental Officer (circle-2)

Copy to:

Regional Officer, UPPCB, Kanpur Dehat with direction to send the compliance report of CTO conditions on quarterly basis.

Digitally signed by
RAJENDRA SINGH

Chief Environmen (2016) (201

Annexure

Specific Conditions

- 1- This CTO is valid for Production of Rectified Sprit/INA/GNS -125 KLD, IMFL/CL Bottling Units-12000 Cases/day and Co-generation Power 4.5 MW. This consent is valid only for Zero Liquid Discharge (ZLD).
- 2- Grain (Broken Rice, Sorghum, Bazra, Maize etc) 305 TPD, Barley Malt-58 TPD, Process Chemicals, Sodium Hydroxide (Caustic)- 480 Kg/day, Nutrients-300 Kg/day, Enzymes Agent-300 Kg/day, Antifoam Agent-145 Kg/day, Yeast-130 Kg/day will be used as raw material.
- 3- In case of any change in production capacity, process, raw material use etc. the industry will have to intimate the Board. For any enhancement of the above, fresh Consent to Establish has to be obtained from U.P. Pollution Control Board.
- 4- Industry shall comply with all the conditions imposed in the Environmental Clearance issued by the MoEF&CC vide their letter no. J-11011/58/2018-IA-II(I) Dated 18 September, 2018, in time bound manner.

- 5- The Industry shall attain the zero industrial effluent discharge by operating ZLD based effluent treatment plant as per the guideline formulated by Central Pollution Control Board for distillery sector.
- 6- The industry shall strictly comply with conditions mentioned in the charter on CREP prepared by CPCB.
- 7- Suspended Solids remove from the effluent through Centrifuge Decanter shall be used as poultry feed.
- 8- The spent wash 1312 KLD will be initially treated through Decantor and approx 160 KLD solid particle will be separated. After that, out of rest 1152 KLD spent wash, 565 KLD will be reused in process/cooling tower and 587 KLD spent wash will be concentrated through Multi Effect Evaporator (MEE) of capacity 700 KLD. Concentrated Effluent will be mixed with wet cake and it will be dry through dryer to produce dry power. The condensate shall be treated through ETP/CPU of capacity 750 KLD. After this, it will be passed through RO plant and RO permeate shall be reutilized in the process and the RO reject shall again be fed in the MEE.
- 9- Unit shall not discharge any treated / untreated effluent in to the river or any surface water bodies. No effluent shall be discharged outside of the factory premises in any circumstances and zero effluent discharge shall be ensured.
- 10- Industry shall operate and maintain Electro Magnetic flow meters at required location (raw water consumption, solid separation system: feed, permeate and reject, evaporation concentration systems, feed concentrate and condensate, water reused in the process & concentrate utilized in drying system/equivalent technology) and record the water balance.
- 11- Industry shall install and operate PTZ cameras at each strategic location such as MEE, RO plant, effluent storage lagoon etc. for monitoring purpose. The URLs and password shall be provided to the Board.
- 12- The unit shall maintain strict supervision upon fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
- 13- The E.T.P. unit operation line up Strengthening is to be maintained.
- 14- The Unit shall install Piezometer for measurement of ground water level and the data generated from Piezometer will be provided to the SPCB on monthly basis.
- 15- Industry shall install Sewage Treatment Plant of capacity 30 KLD for treatment of domestic effluent as proposed. The treated STP effluent should achieve the prescribed standard as notified by MoEF&CC. The treated effluent shall be reused for irrigation within the industry premises.
- 16- The industry should ensure the operation of the air pollution control system (APCS) in such a manner that the air emission confirms with the standards prescribed under the E.P Act 1986 as amended.
- 17- Industry shall maintain Online Continuous Effluent and emission Monitoring System (OCEMS) on ETP and stack & connect it with CPCB server, before start of production as per the direction of CPCB.
- 18- Industry shall ensure the compliance of office memorandum dated 28.08.2019 issued by MoEF&CC, Govt. of India and detail of Fly ash disposal shall be submitted on quarterly basis to UPPCB.
- 19- The industry shall comply with the conditions of NOC issued by Ground Water Department for abstraction of ground water vide Registration No.: 202106000261 dated 07.03.2021.
- 20- The storage facility provided for effluent shall be properly lined and made impermeable and the storage capacity at any stage shall not exceed 15 days equivalent of production.
- 21- Industry shall make proper arrangement for safe and scientific handling, storage, transportation and disposal of all generated solid wastes, sludge etc.
- 22- Effluent generation and its storage shall be done as per the guidelines of CPCB.
- 23- Measuring system for effluent storage shall be installed.
- 24- The industry shall provide adequate arrangement for control of odour nuisance. All internal roads shall be made pucca.
- 25- Industry shall develop and maintain green belt as per the guidelines issued by the Board vide office order no. H16405/220/2018/02, dated 16/02/2018, which is available at URL "http://www.uppcb.com/pdf/Green-Belt-Guidle_160218.pdf". The unit should develop plantation on the Miyawaki process as per G.O. dated

- 13.10.2021 of Govt. of UP.
- 26- Industry shall install shallow hand pumps in the industry premises preferably near the storage lagoons, and analysis of underground water should be done on quarterly basis to keep a check on under water contamination.
- 27- Industry will operate and maintain Electrostatic Precipitator and 55 meter high stack attached with rice husk/coal fired boiler of capacity 40 TPH in such a manner to achieve the prescribed standards.
- 28- The noise level and emission from 02 Nos. D.G. sets of capacity 1000 KVA shall be kept within the prescribed norms.
- 29- The overall noise levels in and around area shall be kept well within the prescribed standards by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise level shall conform to the standards under the Environment (Protection) Act 1986.
- 30- Industry shall abide by directions given by Hon'ble Courts, MoEF&CC, Central Pollution Control Board and UPPCB for protection and safe guard of environment from time to time.
- 31- Industry shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
- 32- The industry shall comply the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016 and shall obtain authorization for the disposal of hazardous waste.
- 33- The industry shall ensure provisions of Roof Top Rain Water Harvesting system and Ground Water Recharging Proposal/ compliance report should be sent to the Board within One month.
- 34- The industry shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- 35- If UPPCB or CPCB issues closure order against the industry, this consent shall remain suspended for the period till closure order is revoked, after which the consent will be effective again for the remaining period.

General Conditions:-

The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

- 1. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
- 2. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
- 3. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
- 4. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
- 5. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
- 6. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
- 7. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
- 8. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

- 9. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
- 10. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
- 11. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
- 12. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
- 13. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 14. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
- 15. The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 16. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises
- 17. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
- 18. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
- 19. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
- 20. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
- 21. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
- 22. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
- 23. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
- 24. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.



Annexure-2

Environmental Clearance letter



F. No. J-11011/58/2018-IA-II (I)

Government of India
Ministry of Environment, Forest and Climate Change
Impact Assessment Division

Indira Paryavaran Bhawan Jor bagh Road, New Delhi -110003

Dated: 14th September, 2020

To,

M/s Aarti Distilleries Private Limited 3rd Floor, 7/22D, Tilak Nagar, Kanpur, Uttar Pradesh

Sub: Setting up of 125 KLPD Grain based Distillery, 25KLPD Malt Spirit Plant and 4.5 MW Cogeneration Power Plant at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat, Uttar Pradesh- Transfer of EC from M/s Rajasthan Liquors Limited to M/s Aarti Distilleries Private Limited -reg.

Sir,

This has reference to your online proposal No. IA/UP/IND2/169113/2020 dated 21st August, 2020 regarding transfer of environmental clearance from M/s Rajasthan Liquors Limited to M/s Aarti Distilleries Private Limited to the project for Grain based Distillery, Malt Spirit & Cogeneration Power Plant, located at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat, Uttar Pradesh.

- 2. The Ministry has granted environmental clearance in favour of M/s Rajasthan Liquors Limited vide file No. J-11011/58/2018-IA-II (I) dated 18th September, 2019 for Setting up of 125 KLPD Grain based Distillery, 25KLPD Malt Spirit Plant and 4.5 MW Cogeneration Power Plant at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat, Uttar Pradesh.
- 3. Now, M/s Aarti Distilleries Private Limited has informed that M/s Rajasthan Liquors Limited has been acquired by M/s Aarti Distilleries Private under the Companies Act 1956 and thus necessitating transfer of all requisite approvals in the name of new company.
- 4. M/s Aarti Distilleries Private Limited has submitted a copy of undertaking as an affidavit by Sh. Chetan Sharma, Director of M/s Aarti Distilleries Private Limited to abide by the terms and conditions stipulated in the environmental clearance dated 21st August, 2020. A copy of Certified true copy of resolution for transfer of various licenses, approval, permission of govt., semi government from M/s Rajasthan Liquors Limited (Transferor) to M/s Aarti Distilleries Private Limited (Transferee) has been also uploaded on Parivesh portal by M/s Aarti Distilleries Privaţe Limited.

- 5. As per relevant provisions of the EIA Notification, 2006 the environmental clearance dated 19th August 2008 to the project for Grain based Distillery, Malt Spirit & Cogeneration Power Plant unit at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat, Uttar Pradesh granted by this Ministry, is hereby transferred from M/s Rajasthan Liquors Limited to M/s Aarti Distilleries Private Limited on the same terms and conditions under which prior environmental clearance was initially granted on 18.09.2019.
- 6. This issues with the approval of the competent authority.

Dr. R. B. Lal)

Scientist 'E'/Additional Director

वैज्ञानिक 'ई'/Scientist 'E' पर्यादरण, वन एवं जलवायु परिवर्तन मंत्रालय Min.of Environment,Forest and Climate Change भारत सरकार, नई दिल्ली Govt. of India, New Delhi

Copy to :-

- The Principal Secretary, Department of Environment and Forests, 17, Rana Pratap Marg, Lucknow, (U.P.), 226001
- The Chief Conservator of Forests(Central), Ministry of Environment & Forests, Regional Office (CZ), Kendriya Bhawan,5th Floor, Sector "H" Aliganj,Lucknow – 226020
- The Chairman, Uttar Pradesh Pollution Control Board, Building. No. TC-12V
 Vibhuti Khand, Gomti Nagar, Lucknow-226 010
- 4. The Member Secretary, CPCB, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi- 32
- 5. M/s Rajasthan Liquors Limited
- 6. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, Jorbagh Road, New Delhi
- 7. Guard File/Monitoring File/Parivesh Portal/Record File

(Dr. R. B. Lal)

Scientist 'E'/Additional Director

Email: rb.lal@nic.in

Telefax: +91-11-24695362

F. No.J-11011/58/2018-IA-II(I) Government of India Ministry of Environment, Forest and Climate Change IA Division

Indira Paryavaran Bhawan Jor bagh Road, New Delhi - 3 Dated: 18th September, 2019

To,

M/s Rajasthan Liquors Limited Village Chiraura, Tehsil Akbarpur, District **Kanpur Dehat** (UP)

Sub: Setting up grain based distillery, malt spirit plant and co-generation power plant by M/s Rajasthan Liquors Limited at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat (UP) - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No.IA/PB/IND2/63809/2017 dated 29th March, 2019, for environmental clearance to the above mentioned project.

- 2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for setting up grain based distillery of 125 KLPD, malt spirit plant of 25 KLPD and co-generation Power Plant of 4.5 MW by M/s Rajasthan Liquors Limited in an area of 73500 sqm located at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat (UP). The project also involves setting up of IMFL/CL bottling unit of 12000 cases/day.
- 3. Total land area is 73500 sqm (7.35 ha). Green belt will be developed in 33% i.e. 24200 sqm of the total project area. The estimated project cost is Rs.175 crores. Total capital cost earmarked towards environmental pollution control measures is Rs.20 crores and the recurring cost (operation & maintenance) will be about Rs.1.45 crores per annum. Employment opportunity will be for 585 persons.
- **4.** There are no National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves and Wildlife Corridors etc within 10 km from the project site. Ghatampur distributary is at 0.5 km (N), Rind nadi is at 1.5 km (SSW), Supanala is at 3.5 km (NNE) from the project site.
- **5.** Total water requirement is estimated to be 3509 cum/day, which includes fresh water requirement of 1354 cum/day, proposed to be met from groundwater.

Effluent of 549 cum/day quantity will be treated through Effluent Treatment Plant (aerobic treatment, anaerobic treatment, filtration system and RO plant). Treated water of will be reused/recycled in the process/cooling tower. There will be no discharge of treated/untreated waste water from the unit, and thus ensuring Zero Liquid Discharge.

Power requirement for the proposed project will be 3MW, which will be met from own Cogeneration Power plant. Two DG sets of 1000 KVA capacity each will be installed as standby during power failure with a stack height of 9 m.

Rice husk/Indian coal fired boiler of 40TPH will be installed. Electrostatic Precipitator with a stack of 55m height will be provided to control the particulate emissions within the statutory limits.

1

By-products from the grain based operations (DDGS) shall be sold as cattle feed. Yeast sludge shall be sent to the sludge drying beds/added to the wet cake.ETP sludge will be dewatered using filter press and used as manure. Ash from the boiler will be given to brick manufacturing unit or used in soil amelioration.

- 6. The project/activity is covered under category B of item 5 (g) 'Distilleries' of the schedule to the Environment Impact Assessment Notification, 2006 and requires appraisal/approval at state level. Due to project was submitted and appraised firstly before the Ministry's Notification dated 13th June, 2019, the project appraised at Central level in the Ministry.
- **7.** Standard Terms of Reference for the project was issued on 24th March, 2018. Public Hearing for the proposed distillery project has been conducted by the Uttar Pradesh Pollution Control Board on 14th November, 2018.
- 8. The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 6-8 May, 2019 & 26-28 June, 2019. The project proponent and their accredited Consultant M/s J M EnviroNet Pvt Ltd presented the EIA/EMP report as per the ToR. The Committee found the EIA/ EMP Report to be satisfactory, in consonance with the presented ToR, and recommended the project for grant of environmental clearance.
- **9.** Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for setting up grain based distillery of 125 KLPD, malt spirit plant of 25 KLPD and co-generation Power Plant of 4.5 MW by M/s Rajasthan Liquors Limited at Village Chiraura, Tehsil Akbarpur, District Kanpur Dehat (UP), under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-
- (a) Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.
- (b) As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.
- (c) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- (d) To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- (e) Coal shall not be used as fuel in boiler.
- (f) Total fresh water requirement shall not exceed 1354 cum/day proposed to be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- (g) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.



- (h) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- (i) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- (j) The company shall undertake waste minimization measures as below:-
 - (i) Metering and control of quantities of active ingredients to minimize waste.
 - (ii) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - (iii) Use of automated filling to minimize spillage.
 - (iv) Use of Close Feed system into batch reactors.
 - (v) Venting equipment through vapour recovery system.
 - (vi) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (k) The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.
- (I) All the commitments made regarding issues raised during the public hearing/consultation meeting shall be satisfactorily implemented.
- (m) At least 3.5% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
- (n) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- (o) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- (p) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- (q) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
- (r) Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (s) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

- (t) CO2 generated from the process shall be bottled/made solid ice and sold to authorized vendors.
- (u) Every production batch shall take prior approval from the concerned regulatory authority that raw grain is unfit for human consumption.
- (v) Grain shall be tested for microtoxins from the govt laboratory and aware the workers related to grain dust. Regular medical check up campaign shall be carried out for the same. Mask and gloves shall be provided to the workers along with training.
- **9.1** The grant of Environmental Clearance is further subject to compliance of other generic conditions as under:-
- (i) The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/ or any other statutory authority.
- (ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- (iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.
- (v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (vi) The Company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.
- (vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.
- (viii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.
- (ix) The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers,

administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.

- (x) A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- (xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- (xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (xiv) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional offices of MoEF&CC by e-mail.
- (xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.
- 10. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.
- 11. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991, read with subsequent amendments therein.

(Sharath Kumar Pallerla) Scientist F

Copy to: -

- 1. The Additional Principal Chief Conservator of Forests, MoEF&CC, Regional Office (CZ) Kendriya Bhavan, 5th Floor, Sector H, Aliganj, **Lucknow** 226020
- 2. The Principal Secretary, Department of Environment, Government of Uttar Pradesh, Sachivalaya, Bapu Bhawan, Adjacent to Vidhan Sabha, Lucknow 226001 (UP)
- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, **Delhi** 32
- 4. The Member Secretary, Uttar Pradesh Pollution Control Board, PICUP Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow (UP)
- 5. Monitoring Cell, Ministry of Environment, Forest and Climate change, Indira Paryavaran Bhawan, Jorbagh Road, **New Delhi**
- 6. Central Ground Water Authority, 18/11, Jamnagar House, Man Singh Road, New Delhi-110011
- 7. District Collector, **Kanpur Dehat** (Uttar Pradesh)
- 8. Guard File/Record File/Monitoring File/Website of MoEF&CC

(Sharath Kumar Pallerla) Scientist F

Consent to establish issued by UPPCB



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

संदर्भ सं0 Ref. No. H58373 17A-2/NOC-4339/21

सेवा में,

पंजीकृत

मैसर्स आरती डिस्टीलरीज प्रा0लि0. तृतीय तल, 7/22 डी, तिलक नगर, कानपुर।

विषय—बोर्ड के पत्रांक 82123/UPPCB/Kanpur Nagar (UPPCBRO)/CTE/KANPUR NAGAR/2019 Dated 12/09/2020 द्वारा पर्यावरणीय दृष्टि से इकाई मैसर्स राजस्थान लिकर्स लि0, ग्राम चिरौरा, तहसील-अकबरपुर, जनपद-कानपुर देहात को निर्गत Consent to Establish (CTE) में नाम परिवर्तन के सम्बंध में।

महोदय.

कृपया उपरोक्त विषयक अपने प्रत्यावेदन दिनांक 28.09.2020 का संदर्भ ग्रहण करने का कष्ट करें। पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, नई दिल्ली के पत्र दिनांक 14.09.2020 द्वारा मैसर्स राजस्थान लिकर्स लिमिटेड, ग्राम–चिरौरा, तहसील–अकबरपुर, जनपद–कानपुर देहात को पूर्व निर्गत पर्यावरणीय स्वीकृति को मैसर्स आरती डिस्टीलरीज प्राoलिंo के पक्ष में ट्रान्सफर कर दिये जाने को दृष्टिगत् रखते हुए बोर्ड द्वारा निवेश मित्र "सिंगल विण्डो सिस्टम" के माध्यम से पत्रांक 82123/UPPCB/Kanpur Nagar (UPPCBRO)/CTE/KANPUR NAGAR/2019 Dated 12/09/2020 द्वारा पर्यावरणीय दृष्टि से इकाई मैसर्स राजस्थान लिकर्स लि0, ग्राम चिरौरा, तहसील-अकबरपुर, जनपद—कानपुर देहात को निर्गत Consent to Establish (CTE) में उद्योग के नाम में निम्नानुसार परिवर्तन किया जाता है :-

111111111111111111111111111111111111111	
पूर्व नाम	नया नाम
मैसर्स राजस्थान लिकर्स लिमिटेड,	मैसर्स आरती डिस्टीलरीज प्रा0लि0,
ग्राम-चिरौरा, तहसील-अकबरपुर,	ग्राम–चिरौरा, तहसील–अकबरपुर,
जनपद-कानपुर देहात	जनपद-कानपुर देहात

उक्त के अतिरिक्त अन्य विवरण एवं शर्ते उपरोक्त वर्णित पत्रांक 82123/UPPCB/Kanpur Nagar (UPPCBRO)/CTE/KANPUR NAGAR/2019 Dated 12/09/2020 द्वारा पर्यावरणीय दृष्टि से निर्गत Consent to Establish (CTE) के अनुसार ही यथावत रहेंगी। उक्त शर्तों का मैसर्स आरती डिस्टीलरीज प्रा0लि0, ग्राम-चिरौरा, तहसील-अकबरपुर, जनपद-कानपुर देहात द्वारा अक्षरशः अनुपालन सुनिश्चित किया जायेगा।

सक्षम स्तर से अनुमोदनोपरान्त पत्र निर्गत।

(अजय कुमार शर्मा)

मुख्य पर्यावरण अधिकारी वृत्त-2

प्रतिलिपि:-क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, कानपुर देहात को सूचनार्थ एवं आवश्यक कार्यवाही हेत् प्रेषित।

मुख्य पर्यावरण अधिकारी वृत्त-2

टी.सी. - 12 वी, विभूति खण्ड, गोमती नगर,

लखनऊ - 226010

: 0522-2720828, 2720831 : 0522-2720764, 2720676

ई—मेल : info@uppcb.com

Lucknow - 226 010

: 0522-2720828, 2720831 : 0522-2720764, 2720676

T.C.-12 V, Vibhuti Khand, Gomti Nagar,

: info@uppcb.com E-mail

Ground Water NOC from UPPGWD

2/10/22, 11:02 AM about:blank



Ground Water Department

(Namami Gange & Rural Water Supply Department) Ministry of Jal Shakti **Government of Uttar Pradesh**

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER) **AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG027994** VALID FROM 03/07/2021 TO 02/07/2026

Registration No.: 202106000262				
Name of the Owner	CHETAN SHARMA			
Address of the Applicant	3rd Floor, 7/22D, Tilak Nagar, Kanpur	Application Form Serial No.	KNPD0621RIN0013	
Date of Submission	10/06/2021	Specimen Signature		
Company Name	AARTI DISTILLERIES PRIVATE LIMITED	Company Address	Village Chiraura, Block Sarbankhera, District Kanp	
Location Particulars				
District	Kanpur Dehat	Block	SARVANKHERA	
Plot No./Khasra No.	Existing premises khasra detail attached	Municipality/Corporation	No	
Ward No./Holding No.	NA			
Particular of the Existing Well an	d Pumping Device		•	
Date of Construction/Sinking of the Well	01/04/2021			
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	100.00	
Purpose of well	Industrial	Assembly Size(For Tube Well)		
Strainer Position (For Tube Well)	•			
Type of Pump Used	Submersible	H.P. of the Pump	15.00	
Operational Device	Electric Motor	Rate of Withdrawal (m3/hr.)	50.00	
Date of Energization (In Case of Electri	c Pump)	01/04/2021		
Approx. Strainer Length (For Tube Well)	0.00	Diameter (For Dug Well)	0.00	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	50.00	Maximum Allowable Running Hours Per Day:	7.00	
Maximum Allowable Annual Extraction	n of Ground Water (m³/year):		119000	
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	on for renewal of N.O.C. गो.सी. के नवीनीकरण का कारण			
Against Case	No			

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at SI. (3) for extraction of ground water at a rate not exceeding that as shown at SI. (3j), for Running Hours per day as shown at SI. (3k), and for maximum allowable annual extraction of ground water as shown at SI. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters(conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SI. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during
- verification at any subsequent stage, this registration is liable for cancellation.

 (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.

(10) Guidelines for Installation of Piezometers and their Monitoring

about:blank 1/2 2/10/22, 11:02 AM about:blank

- · Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.

 No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

	S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	N	Monitiring Mechanism
•	5.110	Quantum of Ground water withdrawar (Cum/day)	No.of piezometers required	Manual	DWLR with Telemetry
	1	< 10	0	0	0
	2	11 - 50	1	1	0
	3	50- 500	1	0	1
	4	> 500	2	0	2

- . The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation
- (13) Any other condition imposed by the concerned Authority
- SPECIFIC CONDITIONS:
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m3/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m3 /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date:10/02/2022 Place: Kanpur Dehat

This certificate is electronically generated and does not require digital signature

about:blank 2/2 2/10/22, 11:01 AM about:blank



Ground Water Department

(Namami Gange & Rural Water Supply Department) Ministry of Jal Shakti **Government of Uttar Pradesh**

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER) **AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG034600** VALID FROM 03/07/2021 TO 02/07/2026

Registration No.: 202106000261				
Name of the Owner	CHETAN SHARMA			
Address of the Applicant	3rd Floor, 7/22D, Tilak Nagar, Kanpur	Application Form Serial No.	KNPD0621RIN0014	
Date of Submission	10/06/2021	Specimen Signature		
Company Name	AARTI DISTILLERIES PRIVATE LIMITED	Company Address	Village Chiraura, Block Sarbankhera, District Kanp	
Location Particulars				
District	Kanpur Dehat	Block	SARVANKHERA	
Plot No./Khasra No.	Existing premises khasra detail attached	Municipality/Corporation	No	
Ward No./Holding No.		NA		
Particular of the Existing Well an	d Pumping Device			
Date of Construction/Sinking of the Well	01/04/2020	01/04/2020		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	100.00	
Purpose of well	Industrial	Assembly Size(For Tube Well)		
Strainer Position (For Tube Well)				
Type of Pump Used	Submersible	H.P. of the Pump	15.00	
Operational Device	Electric Motor	Rate of Withdrawal (m3/hr.)	50.00	
Date of Energization (In Case of Electr	ic Pump)	01/04/2021		
Approx. Strainer Length (For Tube Well)	0.00	Diameter (For Dug Well)	0.00	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	50.00	Maximum Allowable Running Hours Per Day:	10.00	
Maximum Allowable Annual Extractio	n of Ground Water (m ³ /year):		170000	
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	Our existing NOC will be expired on 10/6/2021. Therefore, we are applying for renewal of NOC.			
Against Case	No			

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at SI. (3) for extraction of ground water at a rate not exceeding that as shown at SI. (3j), for Running Hours per day as shown at SI. (3k), and for maximum allowable annual extraction of ground water as shown at SI. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters(conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SI. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during
- verification at any subsequent stage, this registration is liable for cancellation.

 (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.

(10) Guidelines for Installation of Piezometers and their Monitoring

about:blank 1/2 2/10/22, 11:01 AM about:blank

- · Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.

 • No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

	S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
•	5.110	Quantum of Ground water withdrawar (cum/day)	No.of piezometers required	Manual	DWLR with Telemetry
	1	< 10	0	0	0
	2	11 - 50	1	1	0
	3	50- 500	1	0	1
	4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation
- (13) Any other condition imposed by the concerned Authority
- SPECIFIC CONDITIONS:
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m3/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m3 /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date:10/02/2022 Place: Kanpur Dehat

This certificate is electronically generated and does not require digital signature

about:blank 2/2 2/10/22, 11:00 AM about:blank



Ground Water Department

(Namami Gange & Rural Water Supply Department) Ministry of Jal Shakti **Government of Uttar Pradesh**

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER) **AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG048049** VALID FROM 03/07/2021 TO 02/07/2026

Registration No.: 202106000260				
Name of the Owner	CHETAN SHARMA			
Address of the Applicant	3rd Floor, 7/22D, Tilak Nagar, Kanpur	Application Form Serial No.	KNPD0621RIN0015	
Date of Submission	10/06/2021	Specimen Signature		
Company Name	AARTI DISTILLERIES PRIVATE LIMITED	Company Address	Village Chiraura, Block Sarbankhera, District Kanp	
Location Particulars				
District	Kanpur Dehat	Block	SARVANKHERA	
Plot No./Khasra No.	Existing premises khasra detail attached	Municipality/Corporation	No	
Ward No./Holding No.		NA		
Particular of the Existing Well an	d Pumping Device			
Date of Construction/Sinking of the Well	01/04/2021			
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	100.00	
Purpose of well	Industrial	Assembly Size(For Tube Well)		
Strainer Position (For Tube Well)				
Type of Pump Used	Submersible	H.P. of the Pump	15.00	
Operational Device	Electric Motor	Rate of Withdrawal (m3/hr.)	50.00	
Date of Energization (In Case of Electri	ic Pump)	01/04/2021		
Approx. Strainer Length (For Tube Well)	0.00	Diameter (For Dug Well)	0.00	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	50.00	Maximum Allowable Running Hours Per Day:	10.00	
Maximum Allowable Annual Extraction	n of Ground Water (m ³ /year):		170000	
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण				
Against Case	No	No		
mi v oi i i i i i		1 2 27 (2) 2 2 2 2		

This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at SI. (3) for extraction of ground water at a rate not exceeding that as shown at SI. (3j), for Running Hours per day as shown at SI. (3k), and for maximum allowable annual extraction of ground water as shown at SI. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters(conforming to BIS/IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at SI. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during
- verification at any subsequent stage, this registration is liable for cancellation.

 (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.

(10) Guidelines for Installation of Piezometers and their Monitoring

about:blank 1/2 2/10/22, 11:00 AM about:blank

- · Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.

 • No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

	S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	N	Monitiring Mechanism
•	5.110	Quantum of Ground water withdrawar (cum/day)	No.of piezometers required	Manual	DWLR with Telemetry
	1	< 10	0	0	0
	2	11 - 50	1	1	0
	3	50- 500	1	0	1
	4	> 500	2	0	2

- . The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation
- (13) Any other condition imposed by the concerned Authority
- SPECIFIC CONDITIONS:
- (A) For Industrial User: No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m3/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) Infrastructural User: The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m3 /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date: 23/09/2021

Place: Kanpur Dehat

This certificate is electronically generated and does not require digital signature

about:blank 2/2

Ground Water Quality Monitoring report.



Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com ISO 9001:2015, ISO 14001: 2015, OHSAS 18001: 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

ETRCPM14/TES-REP/FT/17

TEST REPORT WATER ANALYSIS

Test Report Ref No. ETRC/2009/10469/2022	Date of Report: 20.09.2022
Name/Address/Type of Industry	Aarti Distilleries Private Limited
	Village: Chiraura, Tehsil: Akbarpur
	District: Kanpur Dehat (Uttar Pradesh)

SAMPLE DETAILS

1	Water/ Waste Water	Ground Water	5	Packing Condition	Sealed
2	Sample Description	Borewell	6	Sample Collected By	ETRC, Lucknow
3	Sample received date	13.09.2022	7	Analysis Start Date	13.09.2022
4	Sample Quantity	5.0 liters	8	Analysis End Date	19.09.2022

TEST RESULT

Sr.	Test Parameter	Unit	Protocol/Test Method	Result	Range of testing	Indian Standard 10500: 2012	
No.	. oot i arameter	0	1 Totocon rest method		/limit of detection	Desirable	Permissible
			Physico-chemical Para	meters	1/2		
1	Colour	Hazen	IS: 3025 (Part-4): 1983 Reaffirmed: 2017	<5.0	5 - 30	5	15
2	Odour	-	IS: 3025 (Part-5): 1983 Reaffirmed: 2017	Agreeable	Qualitative	Agreeable	Agreeable
3	рH	-	APHA 23 rd Ed. 2017-4500 H ⁺	7.5	1 - 14	6.5-8.5	No Relaxation
4	Turbidity	NTU	APHA 23 rd Ed. 2017-2130 B	BDL	2 - 40	1	5
5	Total Dissolved Solids (TDS)	mg/l	IS: 3025 (Part-16): 1984 Reaffirmed: 2017	346.0	10 - 5000	500	2000
6	Ammonia (as total ammonia-N)	mg/l	APHA 23 rd Ed. 2017-4500-NH ₃ F	BDL	0.5 - 10	0.5	No Relaxation
7	Anionic Detergents (as MBAS)	mg/l	APHA 23 rd Ed. 2017-5540 C	BDL	0.05 - 0.5	0.2	1.0
8	Calcium as Ca	mg/l	IS: 3025 (Part-40): 1991 Reaffirmed: 2019	51.30	2.0 - 600	75	200
9	Magnesium as Mg	mg/l	APHA 23 rd Ed. 2017-3500 Mg, B	27.21	0.1 - 200	30	100
10	Chloride as Cl	mg/l	APHA 23 rd Ed. 2017-4500-Cl ⁻ B	20.02	2.0 - 2000	250	1000
11	Fluoride as F	mg/l	APHA 23 rd Ed. 2017-4500 F ⁻ C	0.42	0.02 - 5.0	1.0	1.5
12	Free Residual Chlorine	mg/l	IS: 3025 (Part-26): 1986 Reaffirmed: 2019	BDL	0.1 - 5.0	0.2	1.0
13	Nitrate as NO ₃	mg/l	IS: 3025 (Part-34): 1986 Reaffirmed: 2019	BDL	1.0 - 70	45	No Relaxation
14	Phenolic Compound (as C ₆ H ₅ OH)	mg/l	APHA 23 rd Ed. 2017-5530 C	BDL	0.001- 0.005	0.001	0.002
15	Sulphate as SO ₄	mg/l	APHA 23 rd Ed. 2017-4500- SO ₄ ² -	32.8	1.0 - 500	200	400
16	Alkalinity as CaCO ₃	mg/l	APHA 23 rd Ed. 2017-2320 B	324.0	2.0 - 1000	200	600
17	Total Hardness as CaCO₃	mg/l	APHA 23 rd Ed. 2017-2340 C	240.0	5.0 - 800	200	600
18	Aluminium as Al	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.015 - 5.0	0.03	0.2
19	Boron as B	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.05 - 2.0	0.5	1.0
20	Copper as Cu	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.03 - 10	0.05	1.5
21	Iron as Fe	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	0.16	0.05 - 20	0.3	No Relaxation

Page 1 of 2



Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com

ISO 9001:2015, ISO 14001 : 2015, OHSAS 18001 : 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

Test Report Ref No. ETRC/2009/10469/2022

22	Manganese as Mn	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	0.06	0.02 - 5.0	0.1	0.3
23	Zinc as Zn	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	0.82	0.05 - 15	5	15
24	Cadmium as Cd	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.05 - 2.0	0.003	No Relaxation
25	Lead as Pb	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.01 - 10	0.01	No Relaxation
26	Mercury as Hg	μg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.5 - 1000	1.0	No Relaxation
27	Nickel as Ni	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.05 - 5.0	0.02	No Relaxation
28	Arsenic as As	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.02 - 2.0	0.01	0.05
29	Total Chromium	mg/l	APHA 23 rd Ed. 2017-3120 B (ICP-OES)	BDL	0.03 - 5.0	0.05	No Relaxation
			Microbiological Parar	neters			
30	E. coli	MPN/ 100 ml	IS: 1622 - 1981 Reaffirmed: 2019	Absent	≥ 2 MPN Present or Absent per 100 ml		detected in any
31	T. coli	MPN/ 100 ml	IS: 1622 - 1981 Reaffirmed: 2019	Absent	≥ 2 MPN Present or Absent per 100 ml		detected in any

BDL=Below Detection Limit

..... END OF REPORT......

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best
 attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Complain register is available in our laboratory.

Authorized Signatory (Sandeep Kr Verma) Lab-Incharge CHECKED BOOK

Green Belt photographs













Online Monitoring System Photographs















Environmental Monitoring reports



Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com

ISO 9001:2015, ISO 14001 : 2015, OHSAS 18001 : 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

ETRCPM14/TES-REP/FT/37

TEST REPORT AMBIENT AIR QUALITY MONITORING REPORT

Test	Report Ref No. ETRC/2009/10466/2022	Date of Report: 20.09.2022			
Name/Address/Type of Industry Monitored by		Aarti Distilleries Private Limited Village: Chiraura, Tehsil: Akbarpur District: Kanpur Dehat (Uttar Pradesh)			
		ETRC, Lucknow	,		
Loca	tion of Sampling points	Near Construction Of	fice		
Sr. No.	GENERAL OBSERVATIONS	DETAILS-PM ₁₀	DETAILS-PM _{2.5}		
1(a)	Weather conditions	Clear	Clear		
(b)	Wind direction	West to East	West to East		
(c)	Average humidity (%)	57	57		
(d)	Average ambient temperature (°C)	30	30		
(e)	Time of Sampling Started (Hours)	09:38 am (12/09/2022)	09:38 am (12/09/2022)		
(f)	Time of Sampling completed (Hours)	09:33 am (13/09/2022)	09:33 am (13/09/2022)		
(g)	Total time of sampling (minutes)	24 hour (1435 minutes)	24 hour (1435 minutes)		
2	Average sampling rate for PM (m³/minute)	1.169	NA		
3	Average sampling rate for gas (LPM)	0.5	NA		
4	TOTAL VOLUME OF AIR SAMPLED • PM (m³) • GAS (liter)	1677.515717.5	• 23.568		

TEST RESULT

Sr. No.	Particulars	Protocol	Unit	Result	Range of testing /limit of detection	Standard as per NAAQS ; dated 18/11/2009
1	Particulate matters size less than 10 µm (PM ₁₀)	IS: 5182 (Part-23): 2006 Reaffirmed: 2017	μg/m³	88.5	5.0 - 1200	For 24 hour =100
2	Particulate matters size less than 2.5 µm (PM _{2.5})	IS: 5182 (Part-24): 2019	µg/m³	38.26	2.0 - 500	For 24 hour =60
3	Sulphur Dioxide (SO ₂)	IS: 5182 (Part-2): 2001 Reaffirmed: 2017	μg/m³	29.95	5.0 - 1050	For 24 hour =80
4	Oxides of Nitrogen (NO _X)	IS: 5182 (Part-6): 2006 Reaffirmed: 2017	µg/m³	24.78	6.0 - 750	For 24 hour =80

..... END OF REPORT......

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the
 equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Complain register is available in our laboratory

lomma.

Authorized Signatory (Sandeep Kr Verma) Lab-Incharge





Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com ISO 9001:2015, ISO 14001: 2015, OHSAS 18001: 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

ETRCPM14/TES-REP/FT/37

TEST REPORT AMBIENT AIR QUALITY MONITORING REPORT

Test	Report Ref No. ETRC/2009/10467/2022	Date of Report: 20.09.	2022		
Nam	e/Address/Type of Industry	Aarti Distilleries Private Limited Village: Chiraura, Tehsil: Akbarpur District: Kanpur Dehat (Uttar Pradesh)			
Moni	tored by	ETRC, Lucknow			
Loca	tion of Sampling points	Adjacent to Swadisht	h Oil Mill		
Sr. No.	GENERAL OBSERVATIONS	DETAILS-PM ₁₀	DETAILS-PM _{2.5}		
1(a)	Weather conditions	Clear	Clear		
(b)	Wind direction	West to East	West to East		
(c)	Average humidity (%)	57	57		
(d)	Average ambient temperature (°C)	30	30		
(e)	Time of Sampling Started (Hours)	09:52 am (12/09/2022)	09:52 am (12/09/2022)		
(f)	Time of Sampling completed (Hours)	09:52 am (13/09/2022)	09:52 am (13/09/2022)		
(g)	Total time of sampling (minutes)	24 hour (1440 minutes)	24 hour (1440 minutes)		
2	Average sampling rate for PM (m³/minute)	1.157	NA		
3	Average sampling rate for gas (LPM)	0.5	NA		
4	TOTAL VOLUME OF AIR SAMPLED PM (m³) GAS (liter)	1666.08720.0	• 23.675		

TEST RESULT

Sr. No.	Particulars	Protocol	Unit	Result	Range of testing /limit of detection	Standard as per NAAQS; dated 18/11/2009
1	Particulate matters size less than 10 µm (PM ₁₀)	IS: 5182 (Part-23): 2006 Reaffirmed: 2017	µg/m³	92.6	5.0 - 1200	For 24 hour =100
2	Particulate matters size less than 2.5 µm (PM _{2.5})	IS: 5182 (Part-24): 2019	µg/m³	41.98	2.0 - 500	For 24 hour =60
3	Sulphur Dioxide (SO ₂)	IS: 5182 (Part-2): 2001 Reaffirmed: 2017	μg/m³	20.22	5.0 - 1050	For 24 hour =80
4	Oxides of Nitrogen (NO _x)	IS: 5182 (Part-6): 2006 Reaffirmed: 2017	µg/m³	24.78	6.0 - 750	For 24 hour =80

..... END OF REPORT......

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the
 equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Complain register is available in our laboratory

vermai

Authorized Signatory (Sandeep Kr Verma) Lab-Incharge



Authorized Signatory (Ritu Garg) QM

2 ili yarg



Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com

ISO 9001:2015, ISO 14001 : 2015, OHSAS 18001 : 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

ETRCPM14/TES-REP/FT/36

TEST REPORT STACK EMISSION MONITORING AND ANALYSIS REPORT

Test	Report Ref No. ETRC/2009/10526/2022	Date of Report: 20.09.2022		
Name/Address/Type of Industry		Aarti Distilleries Private Limited Village: Chiraura, Tehsil: Akbarpur District: Kanpur Dehat (Uttar Pradesh)		
Monit	ored by	ETRC, Lucknow		
Sr. GENERAL INFORMATION		DETAILS		
1.(a)	Date of monitoring	12.09.2022		
(b)	Stack material	RCC		
(c)	Height of stack from ground level	55.0 mts		
(d)	Source to which stack attached	Boiler		
(e)	No of boiler attached with capacity	01 No. (40.0 TPH)		
(f)	Type and quantity of fuel used	Coal		
(g)	Details of APCS installed	ESP		
2.	PARAMETERS	VALUES		
(a)	Ambient temperature (°C)	31.0		
(b)	Stack gas temperature (°C)	127.0		
(c)	Stack gas velocity (m/sec)	11.91		
(d)	Flow rate (LPM)	17		
(e)	Sampling time (minutes)	60		
(f)	Volume of air sampled (liters)	1020		

TEST RESULT

Sr. No.	Parameter	Unit	Protocol	Result	Range of Testing / Limit of Detection	Standard (as per CPCB)
1	Particulate Matter	mg/Nm ³	IS: 11255 (Part-1): 1985 Reaffirmed: 2019	48.2	2.0 - 1000	150

..... END OF REPORT.....

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the
 equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising
 media without our special permission in writing.

Complain register is available in our laboratory.

Norma ..

Authorized Signatory (Sandeep Kr Verma) Lab-Incharge CHECKED CHECKED CONTROL CHECKED CHECKED CONTROL CONTRO



Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com ISO 9001:2015, ISO 14001: 2015, OHSAS 18001: 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

TEST REPORT AMBIENT NOISE MONITORING AND ANALYSIS REPORT

Toet Re	eport Ref No. ETRC/2009/10468/2022	Date of Report: 20.09.2022
Name/Address/Type of Industry		Aarti Distilleries Private Limited Village: Chiraura, Tehsil: Akbarpur District: Kanpur Dehat (Uttar Pradesh)
Monitored by		ETRC, Lucknow
Sr. No.	GENERAL INFORMATION	DETAILS
(a)	Date of monitoring	12/09/2022 (6:00 AM) to 13/09/2022 (6:00 AM)
(b)	Sample Description	Ambient Noise
(c)	Sampling Location	Near Project Site
(d)	Environmental Condition	Normal

TEST RESULT

	Ambient Noise Level							
Sr. No.	Parameter	Unit	Resuits DAY TIME (6:00 AM – 10:00 PM)	Results NIGHT TIME (10:00 PM – 6:00 AM)				
1	Equivalent sound level	dB(A)	62.46	54.38				

	Noise Standards as per CPC	B Schedule rule 3(1)	and 4(1)
Aran Cada	Cotogony of Aron/Zono	Limits in	dB(A) Leq
Area Code	Category of Area/Zone	Day Time	Night Time
Α	Industrial Area	75	70
В	Commercial Area	65	55
С	Residential Area	55	45
D	Silence Zone	50	40

..... END OF REPORT......

- ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.
- The result relate only to the items tested.
- ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the
 equipment constituting to the results.
- All disputes subject to Lucknow jurisdiction.
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Complain register is available in our laboratory.

Authorized Signatory (Sandeep Kr Verma) Lab-Incharge CHECKED BEGGE



Office & Laboratory: 2/261, Vishwas Khand, Gomti Nagar, Lucknow- 226 010 (U.P.)

Email: ETRCLTH@YAHOO.IN, Web: www.etrcindia.com ISO 9001:2015, ISO 14001: 2015, OHSAS 18001: 2007

An Approved Laboratory from Ministry of Environment, Forest and Climate change, Govt. of India under EPA 1986

ETRCPM14/TES-REP/FT/38

TEST REPORT SOIL ANALYSIS

Test Report Ref No. ETRC/2009/10470/2022	Date of Report: 20.09.2022
Name/Address/Type of Industry	Aarti Distilleries Private Limited
	Village: Chiraura, Tehsil: Akbarpur
	District: Kanpur Dehat (Uttar Pradesh)

SAMPLE DETAILS

1	Sampling Location	Project Site	5	Packing Condition	Sealed
2	Sample Description	Soil Sample	6	Sample Collected By	ETRC, Lucknow
3	Sample received date	13.09.2022	7	Analysis Start Date	13.09.2022
4	Sample Quantity	1.0 kg	8	Analysis End Date	19.09.2022

TEST RESULT

Sr. No.	Test Parameter	Unit	Protocol/Test Method	Result	Range of testing /limit of detection
.1	pH - IS: 2720 (Part-26): 1987 Reaffirmed: 2016		7.5	1 - 14	
2	Electrical Conductivity	µs/cm	IS: 14767: 2000 Reaffirmed: 2016	288.0	1.0 - 40000
3	Moisture Contents	%	IS: 2720 (Part-2): 1973 Reaffirmed: 2015	4.62	1.0 - 50
4	Copper as Cu	mg/kg	ETRC/LABSOPS/07 Issue. 1 Dated. 10.08.2015	4.82	0.3 - 500
5	Zinc as Zn	mg/kg	ETRC/LABSOPS/08, ISSUE NO.1 Dated 10.08.2015	16.72	1.0 - 500
6	Iron as Fe	mg/kg	ETRC/LABSOPS/09, ISSUE NO.1 Dated 10.08.2015	312.0	5.0 - 500
7	Manganese as Mn	mg/kg	ETRC/LABSOPS/09, ISSUE NO.1 Dated 10.08.2015	178.4	5.0 - 500
8	Sulphur	mg/kg	IS: 14685: 1999 Reaffirmed: 2014	22.8	5.0 - 100

..... END OF REPORT......

 ETRC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the sample, mentioned in the report as above.

The result relate only to the items tested.

• ETRC does not assume any liability for any claims or damages related to the quality of parameter analyzed in the results and/or the performance of the equipment constituting to the results.

All disputes subject to Lucknow jurisdiction.

 This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

Complain register is available in our laboratory.

Authorized Signatory (Sandeep Kr Verma) Lab-Incharge CHECKED TO SERVICE TO

Rain Water Harvesting Structure Photographs



Scanned with CamScanner



Scanned with CamScanner









Scanned with CamScanner



Scanned with CamScanner





Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner









Scanned with CamScanner



Scanned with CamScanner

Annexure-10

published information (in newspapers)

नई दिल्ली। केंद्र सरकार ने बृहस्पतिवार को वायरलेस मोबाइल और स्मार्टबाँच समेते चुनिंदा सामानों पर आयात शुल्क 10 फीसदी बढ़ा दिया। सरकार ने यह कदम चाल, खाते के घाटे को कम करने की कोशिशों के तहत उठाया है। हालांकि इससे ये वस्तुएं महंगी हो जाएंगी। यह फैसला शुक्रवार से लागू हो जाएगा।

हो जाएगा। वित्त मंत्रालय के अंडर सेक्रेटरी गुंजन कुमार वर्मा की ओर से जारी अधिसूचना में कहा गया है कि टेलीफोन सेट, सेल्लुलर नेटवर्क के लिए टेलिफोन आ अन्य वायरलेस नेटवर्क समेत चुनिंदा दूरसंचार उपकरणों पर आयात शुल्क

अंदरूनी सूत्रों ने बताया कि चौटाला पार्टी से निलंबित कर दिया है। ब्यूरो

जिला फिरोजाबाद के समीप है।

नई दिल्ली द्वारा प्रायोजित है।

वेद्युत चालित रेल गाड़ियों का संचालन होना है।

चंडीगढ़। हरियाणा के प्रमुख विपक्षे दल इंडियन नेशनल लोकदल में चल रही उदागटक और पारिवारिक कलह के बीच पार्टी सुप्रीमो एव पूर्व मुख्यमंत्री बोधिर औप फ्राज्य चौटाला ने एक और बड़ी कार्रवाई की है। पार्टी से जुड़े अंदरूनी सुत्रों ने बताया कि चौटाला ने हिसार सोसद दुर्थंत सिंह चौटाला की

📵 उत्तर मध्य रेलवे, इलाहाबाद उप म0वि०इंजी/नि०/उ०म०रे०/कानपर 18-19/टेण्डर92 दिनांकः 07.08.2018 सार्वजनिक सूचना

सर्वसाधारण को सूचित किया जाता है कि समपार सं0 46 कि0मी0 1199/21-23 पर निर्माणाधीन उपरिगामी सेत के संबंध में

रेलवे की 132 के0वी0 3 फेज डबल सर्किट ट्रान्समीशन लाइन को

स्थान्तरित करने का कार्य प्रगति पर है, यह ट्रान्समीशन लाइन

विस्थापित होकर टावर संख्या 548 से निकलकर टावर संख्या

561 से मिल रही है। ट्रान्समीशन लाइन गाँव नगल केहरी, करौना

इस ट्रान्समीशन लाइन के निर्माण कार्य में जो फसलों पेड़ों (वृक्षों)

इस ट्रान्समीशन लाइन का निर्माण रेल मंत्रालय, भारत सरकार



10 फीसदी से बढ़ाकर 20 फीसदी कर

10 फीसदी से बढ़ाकर 20 फीसदी कर दिया गया है। यह बढ़ोतरी बेस स्टेशन, ऑप्टिकल ट्रांसपॉर्ट उपकरणों, पीओटीपी या पीओटीएस, ऑप्टिकल ट्रांसपॉर्ट नेटवर्क फ्रींडक्ट, बीओआईपी उपकरणों, मीडिया गेटबेज में भी की गई हैं। 15 दिन के

चुनिंदा दूरसंचार उपकरणों पर आयात शुल्क 10 फीसदी से बढाकर 20 फीसदी कर दिया गया

दुष्यंत चौटाला इनेलो से निलंबित पीएम के खिलाफ अब सुंदरनगर में अभद्र टिप्पणी

कना/संदरनार (मंडी)। प्रदेश में प्रधानमंत्री नरेंद्र मंदी के विवारण देशारी पर अपट्ट टिप्पणिया शिखाने का सिर्लास्तिश धर्म ने का नाम नहीं ले रहा है। सिरामीर, शिलान, सोलन और शिलानस्पूर जिलों के बाद अब मंडी के सुंदरनार और कमा पे पीएन किया के वाद अब मंडी के सुंदरनार और कमा पे पीएन किया किया है। अपट्ट टिप्पणिया लिखी में हैं। कमा के नेतान है स्थित पुल के पत्त दीवारों पर टिप्पणिया लिखी में इसके अलावा अन्य जानह सड़क किया प्रीवारी में रहत के महत्मां में वही शिकासव पर विभिन्न धाराओं के तहत केस हटों कर

बताया कि पुलिस इस मामले मे

का नुकसान हो रहा है, इसकी भरपाई किसानों, जमीन मालिकों को नियमानुसार समुचित मुआवजा देने का प्रावधान है तथा जमीन को अधिग्रहण करने का प्रावधान नहीं है। इस ट्रान्समीशन लाइन से उप मुख्य विद्युत इंजीनियर/नि0

उत्तर मध्य रेलवे, कानपुर कार्यालय जिला बेसिक शिक्षा अधिकारी, हरदोई

प्रेस विज्ञप्ति

राज्य परियोजना कार्यालय सर्व शिक्षा अभियान लखनऊ के पत्रांक:-बा शि /सेल्प डिफेंस/3265/2018-19 दिनांक 03.10.2018 के अनुपालन में हरदोई जनपद में संचालित उच्च [इफ्त(1/256)/2015-17 (चताक 03-10),2018 क अनुभावन में हरदाइ जनभर में सचावत उच्च प्राथमिक विद्याद्यायों में संस्कृ डिफ्स अधिकण के अंतर्गत जुड़ी-कर्यट),ताड़वाज्वी/राज्यों आंचाजा आर्ट्रि विश्वाओं से संबंधित प्रशिक्कों के चयन हेतु [मन प्रतों के अधीन आयोदन पत्र आमंत्रित किये जाते हैं-1. आवेदक की आयु 01 जुलाई, 2018 को 18-40 वर्ष के मध्य होनी चाहिए। दे शैक्षिक योग्यता इण्टरमीडियुट पास तथा जुड़ों कराये,ताझब्यान्डी/लादी भांचना विधाओं में किसी भी विश्वा में किसी पंजीकृत संस्था से कम से कम छः माह का प्रशिक्षण प्रमाण पत्र होना

अनिवार्य है।

प्रशिक्षकों का चयन न्याय पंचायत स्तर के लिए किया जायेगा प्रशिक्षक को न्याय पंचायत के सम उच्च प्राथमिक विद्यालयों में जाकर प्रशिक्षण देना होगा।

चयन नितान्त अस्थायी रूप से 03 माह के लिए किया जायेगा तथा प्रशिक्षक को 3000/- रु. प्रति

भारत जिल्ला क्या कि से कुल 9000/- रु. प्रति विद्यालय की दर से मानदेय दिये जाने का प्रावधान हैं। आवेदन पत्र स्वप्रमाणित संलग्नकों सिंहत पंजीकृत डाक से कार्यालय जिला बेसिक शिक्षा अधिकारी, हरदोई के नाम दिनांक 22 अक्टूबर 2018 को सायं 05 बजे तक स्वीकार किये जाएंगे। आवेदन के लिफाफे पर सेल्फ डिफेंस प्रशिक्षक हेतु आवेदन तथा विधा नाम लिखा होना चाहिए। आवेदन का प्रारूप जिला परियोजना कार्यालय/नोटिस बोर्ड से प्राप्त किया ज

(निशात अंसारी)		(हेमंत राव)
जिला समन्वयक बालिका शिक्षा		जिला बेसिक शिक्षा अधिकारी
हरदोई	DKA0201800002102	हरदोई

कार्यालय सहायक सम्भागीय परिवहन अधिकारी जालौन, स्थान उरई पत्रांक-756/सा. प्रशा./नीलामी/2018

सर्वसाधारण को सुचित किया जाता है कि जनपद में विभिन्न धानों में परिवहन विभाग द्वारा 45 दिनों से अधिक निरुद्ध वाहानी को परिवहन आयुक्त कार्यालय लखनक से पत्रकेत-613 सा.प्र./18-53टीआर.नी./18, दिनांक-25 सितम्बर, 2018 द्वारा नीलाम किये जाने हेंतु अनुमति प्रदान कर दी गयी है। अतः उप परिवहन आयुक्त, आगरा परिवेश, आगरा महोदय को अध्यक्षता में निम्नांकित 11 वाहनों की

ं अभावतन्त्र गांतुन्त्र, जागांच भावत्र अभाव महत्त्रम् का अल्वता मा गान्याक्रक । या क्या का नीलामी दिनांक-16 नवंबर, 2018 को सारक संभागीय परिवादक नवायंत्वर, जातांना (उद्धे) में समय 12.00 बने से प्राप्त को जागेंगी। नीलामी में समितित होने वाले इच्छुक व्यक्ति,संस्था दिनांक-16 नवस्यर, 2018 को ही कार्यांत्वय में नियमानुसार LMV रु. 2000, MGV रु.-5000 प्रतिभृति जमा कराकर टोकन प्राप्त कर सकेंगे।

क्र.सं.	वाहन संख्या	प्रकार	थाना जहां वाहन बंद है		
1	2	3	4		
1	यूपी 92 टी-2503	ऑटोरिक्शा	कोतवाली उरई		
2	यूपी 92 टी-0364	लोडर	कोतवाली उरई		
3	यूपी 92 टी-2104	मैजिक	कोतवाली उरई		
4	यूपी 92 टी-1157	मैजिक	कोतवाली जालौन		
5	यूपी 92 टी-1288	ऑटोरिक्शा	कोतवाली जालौन		
6	यूपी 92 टी-0913	मैजिक	कोतवाली कोंच		
7	यूपी 92 टी-2158	मैजिक	थाना आटा		
8	यूपी 92 टी-1343	ऑटोरिक्शा	थाना चुर्खी		
9	यूपी 92 टी-0881	मैजिक	ज्ञान भारती चौकी छाँक		
10	यूपी 92 टी-2515	मैजिक	थाना एट		
11	यूपी 93 ई-9034	ऑटोरिक्शा	कोतवाली कोंच		

DKA0201800002101

• • • **=**

सहायक सम्भागीय परिवहन अधिकारी

(प्रशासन) जालौन, स्थान-उरई

भारत में स्मृति चिह्न लेकर विवादों में घिरे नेपाली सांसद शाह

सिद्धार्थनाग/कपिलवस्तु। भारत में 9 अन्यूबर को उस पर भगवान मुद्ध को जन्मस्थली यूपी स्थित थेव नंबर तीन के यूख सांसद अभिषेक प्रताप त्राह 9 एक कार्यक्रम में स्मृति चिव्यन सीकार करने पर नेपाली मिद्धार्थनगर लिखा गया है। साथ ही सांसद ने दूसरे देश अनकृष्य को ग्रीहरताण्य में सीपार योगी आदित्यनाथ सांसद अभिष्क राजपा थाति स्थारी में सिरा गा हुई के कार्यक्रम में सीवति ना करके में स्थार के प्रताप कर से पूर्व नेपाल सरकार से और केंद्रीय में वितित गढ़क से कार्यक्रम में सांसद अभिष्क राजपा कार्यक्रम में सांसद अभिष्क राजपा कार्यक्रम में सांसद अभिष्क राजपा कार्यक्रम में सांसद ने स्मृति चित्र ने स्वत्य के स्वत्य सांसद स्थार के क्षीय सांसद स्थार के प्रताप स्थार के प्रताप के क्षित्य सांसद स्थार के स्वत्य सांसद सांसद

कार्यालय वरिष्ठ पुलिस अधीक्षक इटावा

विज्ञप्ति

गैर हाजिरी सूचना

ापनकाड : 805/24 श्री अमितीश कुमार टी०सी0एम/III/जस्वन्त नगर को यह सूचित किया जाता है कि आप दिनांक 12.01.2016 से हियूटी से अनुपस्थित हैं आप प्रकाशित सूचना की तिथि से दस दिन के अन्दर

एस.एस.ई./टेली/उत्तर मध्य रेलवे/इटावा के कार्यालय में अवश्य उपस्थि

हों। अन्यथा यह माना जायेगा कि आप रेलवे सर्विस नहीं करना चाहते

जिससे रेलवे प्रशासन को एक तरफा निर्णय लेने हेतु बाध्य होना पड़ेगा।

अधीक्षण अभियन्ता बांदा वृत्त,

लो0नि0वि0, बांदा

ई-निविदा सूचना

कार्यालय अधिशासी अभियन्ता, लघु सिंचाई खण्ड, इटावा।

निविदा सचना सं0 05/2018-19

io/लेखा/निविदा चैकडैम/2018—19

लागत (ला स्त्र0 में) 17.93

21.75

23.29

किरवारी परंपना सेवार्च जावाचु स्थेवपूर्व की प्राचाना में किरवारी करायेचा केवाचु स्थेवपूर्व की प्राचाना कर किरवारी जावाच्या सेवार्च की किरवारी केवाच्या की किरवारी की किरवारी की किरवारी की किरवारी की क्षेत्रियों के व्यक्तिया की किरवारी की किरवारी की किरवारी की किरवारी की किरवार की किरवार कर की किरवार की किरवार की किरवार कर की किरवार की कि कि वार की किरवार की किरवार की किरवार की किरवार की किरवार की कि वार की कि वार

www.upgov.nic.in Upid- 132998 Dt. 09.10.2018

बोसपुर

रामपुर

रत्वा

औरया

• श्रा अभितेश कुमार पुत्र श्री अरूण कुमार पोस्ट एवं विलेज : कानन्द पुर पोस्ट : पकरी बरावन् जिला : कान्

: 805124

सर्व साधारण को सूचित किया जाता है कि अग्निशमन केन्द्र सैफई का निष्प्रयोज्य मोटर फायर इंजन सं.- यू.पी.-75-ए-3417 की सार्वजनिक नीलामी दिनांक- 22-10-2018 को 11:00 बजे अग्निशमन केन्द्र ्रितेपपुरा से फर्क, इटावा में होगी। इच्छुक व्यक्ति नौलामी में प्रतिभाग करें। नियम व शर्तों के लिए CFO इटावा के मोबा. नं. 9454418379 पर सम्पर्क कर सकते हैं।

वरिष्ठ पुलिस अधीक्षक

एसएसई/सिग.

उत्तर मध्य रेलवे, इटावा

854.00 1.793

854.00

854.00

854.00 854.00

954.00

854.00

854 00

854.00

854.00

2 175

2 131 854 00

2.132 854.00 854.00 2.329

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड रनियाँ, कानपुर देहात

उत्तर प्रदेश प्रदेश प्रदेश पिन्यंत्रण कोई रिनयों, कानपुर देहात प्रयोवणीय अधिभुवना दिलांक 1409,2006 के अंतर्गत लोक मुख्यहं हैन आम मुख्या सर्वावाणीय अधिभुवना दिलांक 1409,2006 के अंतर्गत लोक मुख्यहं हैन आम मुख्या सर्वावाणाय को मुख्य किया वाला है कि को पेतर तथा, इत्यरेश्वर में त्राव्यान किवती लि., अवना अभीति दिल्यले के स्वत्यान में त्राव्यान किवती की परिवेदना के रुपोवरणीय हिन्दरलों, 2.5 किती, तिर महिल किट संत्रेष एवं 4.5 किवती स्वाव उत्तर है कि व्यवित के परिवेदना के रुपोवरणीय क्षित्र के स्वत्यान परिवेद के स्वत्यान के स्वत्यान के स्वत्यान के परिवेदना के प्रवित्यान के प्रवेदन के स्वत्यान के स 📵 उत्तर मध्य रेलवे, इलाहाबाद

कार्यालय अधिशाषी अभियन्ता प्रान्तीय खण्ड, लो.नि.वि., कानपुर देहात।

अल्पकालीन निविदा सूचना

家.礼.	जनस्य का नाम	কর্যে কা দাশ	लागत (लाख में)	वरोहर बनचरित्र (लाख में)	निविदा पत्रक का मूल्य (स्टेशनरी एवं वैट सहित)	कार्य पूर्न करने का समय	कार्यकारी अधिशाषी अधियन्ता कार्यातय का पता	अधीराण अभियन्ता कार्यालय का पता	जिलाचि कारी कार्यालय का पठा	मुख्य अभि0 कार्या0 का पता
1	2	3	4	5	6	7	8	9	10	11
1		मुरादपुर होकर हिस्तका का पुरवा सम्पर्क मार्ग (प्रामा) (किमी 1 एवं 2(850) में सामान्य मरम्मत के साथ नवीनीकरण का कार्य।	6.70	0.67	838/-	1 माह	अधि अभि, प्रान्तीय खण्ड, लोनि वि, का नपुर देहात	अधी,अभि, कानपुर बृत्त, लो.भि.वि., कानपुर	जिलाधि कारी, कानपुर देशात (माती)	मुख्य अभिवः कानपुर क्षेत्रः लोनिविः कानपुर
2		जियना से जरसपुर सम्पर्क मार्ग (प्रा.गा.) विंभी 1 एवं 2) में सामान्य मरम्मत के साथ नवीनीकरण का कार्य।	7.30	0.73	838/-	१ माह	तदेव	तदैव	तदेव	तदेव
3	कानपुर देहात।	महटीली कलांलर सन्दलपुर मार्ग (किमी-6) से करीदापुर सम्पर्क मार्ग (ग्रा.म.) (किमी 1, 2 एवं 3(100) में सामान्य मरम्मत के साथ नवीनीकरण का कार्य।	7.60	0.76	838/-	१ माह	तदेव	लदैव	तदैव	तदेव

प्रशास कराय को पूर्ण करने की अनुसन्ध अस्तिय वर्षा खातु को शामित करते हुएँ कारस्य र में सर्थित हैं।

[मेरिया की देवारा, निर्मिद्य समृद्ध करने की अनिम्त तिर्मित के 90 दिन होगी। एक बार प्रस्तुत्त की मानि निर्मित वास्ता करी की करता है। ही का स्वता है। वा सकती है। हो।

वार्ष से सम्बन्धित निर्मिद्य पात्र (Bidding Document) सम्बन्धित अधिवारी अर्थिम्सा, किश्रास्त कि स्वास्त 8,0 100 को से अर्था के अर्था की का स्वास्त 8,0 100 को से अर्थ कि स्वास्त 8,0 100 को से अर्थ कि अर्था कि हा साम का स्वास्त की स्वास्त 8,0 100 को से अर्थ कि अर्थ कि स्वी में को करिय से में रावारी कुळ कर 500,00 (कर्षा वेद सो मां भी रावारी कुळ कर 500,00 (कर्षा वेद सो मां भी रावारी मां अर्थ कर कि अर्थ कियों में का स्वास 8,0 100 को अर्थ कि स्वास 1, का स्वास कर कर कि अर्थ कियों में साम है के अर्थ कर कियों के स्वास के अर्थ कियों की अर्थ कर के विकास 1, का स्वास की स्वास की स्वास के अर्थ के स्वास के अर्थ के स्वास के अर्थ के स्वास के साम के स्वास के स्वास के साम के स्वास के स्वास के साम के स्वास के साम के साम

नावार ने हो क्या जाता जाता के हात नावार प्रश्ना के भागा जाने में पर 20,000 आतराल जाता करने हों ने हमें क्या जाता है के साथ करने हमें के साथ करने हमें हमें के अहम के नहीं के साथ के अहम के अहम के नहीं के साथ के अहम के अह

तक दिनांक 15.10.2018 से 22.10.2018 तक देखी जा सकते हैं। कोई भी निविदादाता जो आपराधिक पृष्ठभूमि रखता हो, वह निविदा प्रक्रिया

सार्कण। दूर का कार्य के कार्य के किया के लिये वश्येक गिरियादाता को अयेक कार्य के लिये अदग-अदग्र त्वा साथ के अपूर्ण रागी अगिरोख संतम्म करना होगा, जिससे कि गिरियादाता की कि कीशियादाता के कि कीशियादाता के मिरियादाता के मिरियादाता के मिरियादाता के मिरियादाता के अगिरायादाता अग्री कार्यों के अग्री कियादाता के अग्री कियादाता के अग्री के कीशियादाता के अग्री के कीशियादाता के अग्री के अग्री के कियादाता के अग्री के कियादाता के अग्री के कीशियादाता के अग्री के कीशियादाता की अग्री के कीशियादाता की अग्री के कियादाता की अग्री के कियादाता की अग्री के कीश्य के साथ समस्त सुमाना निमोरियादाता को अग्री के कियादाता के अग्री के कीश्य के साथ समस्त सुमाना निमोरियादाता को अग्री के कीशियादाता के अग्री के कीश्य के साथ समस्त सुमाना निमोरियादाता की अग्री के कीशियादाता कीशियादा कीशियादा कीशियादाता कीशियादाता कीशियादा कीशिया कीशियादा कीशियादा कीशियादा कीशियादा कीशियादा कीशियादा कीशियादा क

लखनऊ दिनांक 8 जून, 2012 में निहित प्राविधानों के अनुसार कम जमानती धनराशि अनुबन्ध गठित होने से पूर्व ठेकेदार को जमा व

अधिशाषी अभियन्ता, कानपुर देहात।

के अनुसार ल ऑफ क्वानिट

के अनुसार बेल ऑफ क्वान्टिटी

के अनुसार बेल ऑफ क्वान्टिटी

के अनुसार बिल ऑफ क्वान्टिटी





4 buzz NHRC celebrates Silver Jubilee with celebrations

The National Human Rights Com mission, NHRC, India completed 25 years of its existence with its 26th Foundation Day. The NHRC was set up on October 12, 1993, under the Protection of Human Rights Act, passed by Parliament.

Extended Silver Jubilee celebrations, spilling over three days, are being organised to mark the occasion. This begins with a func-tion at Vigyan Bhawan in New Delhi which will be addressed by the Prime Minister Narendra Modi as the chief guest in the august presence of the Union Home Minister Rajnath Singh and the Union Minister of State (I/C) for Communications Manoj Sinha.

Oil India Limited makes two Hydrocarbon discoveries

Oil India Limited (OIL) has made two Hydrocarbon discoveries in Dibrugarh and Tinsukia district in the Upper Assam Basin during the second quarter (Q2) of the financial year 2018-19, in the wells West Lohali -1 and Dhakuwal-1. The well West Lohali-1 encountered one sand in Barail formation of Oligocene age. On testing, a 13 m Barail sand at a depth of 2,357 m, produced gas at the rate of 1,15,000 scmd. The well Dhakuwal-1 encountered two zones in LK+TH formation of Eocene age On testing, a 15 m LK+TH sand at a depth of 3,875 m, produced gas at the rate of 1,00,000 scmd with 22 m³/d condensate.

Sachaetra Seema Ral arrests naxalite Sunil Kumar Yadav

On special intelligence input, 29 Battalion of Sashastra Seema Bal deployed in Gaya, Bihar launched a joint operation with STF Patluka and local police and nabbed a want-ed hardcore naxalite Sunil Kumar Yaday Naxalite Sunil Kumar Yaday was arrested from his native place Hahesari village, Gaya, Bihar. The arrested naxalite has been handed over to the police.

BDL receives Rs 200 crore order from DRDO Bharat Dynamics Limited (BDL),

a Defence Public sector undertaking (PSU), has received order worth of Rs 200 crore approximately from Defence Research and Development Organisation (DRDO) for supply of Medium Range Surface to Air Missile (MR SAM) rear section. MR-SAM is a joint development project between DRDO and Israel Aerospace Industries, Israel with BDL as the Nominated Production Agency.

Engineers India Ltd distributes assistive aids to differently-abled in Bargarh, Odisha

As part of CSR initiatives, Engineers India Ltd (EIL) organised a camp for distribution of assistive aids and appliances to differentlyabled people (divyangjan) in Bargarh, Odisha. Prof Ganeshi Lal, Governor of

corporate buzz

Odisha, handed over the appliances to the identified beneficiaries in presence of Dharmendra Pradhan, Union Minister of Petroleum and Natural Gas and Skill Development and Entrepreneurship.

JC Nakra, C&MD and VC

Bhandari, Director (HR) were also present on the occasion. A total no

BHEL wins Rs 2,900 crore orders from NTPC

Amidst stiff competitive bidding, Bharat Heavy Electricals Limited (BHEL) has bagged four orders for emission control equipment from NTPC Ltd. Valued at about Rs 2,900 crore, these orders involve supply and installation of Flue Gas Des-ulphurization (FGD) systems for control of SOx emissions at NTPC's 3x660 MW North Karanpura, 2x500 MW Mauda Stage-I, 3x660 MW Barh Stage-I and 2x660 MW Barh Stage-II power projects.

With these orders, BHEL is presently executing FGD systems for 17 units of NTPC and its JVs and other



of 547 people including children

were provided with required as-sistive aids covering motorised/ **MDAVT** announces First

Close of MDAVF

Maharashtra Defence and Aerospace Venture Trust (MDAVT) sponsored by Government of Maharashtra through Maharashtra Industrial Development Corporation (MIDC) and managed by IDBI Capital Markets and Securities Ltd (IDBI Capital) has announced the First Close of Maharashtra Defence and Aerospace Venture Fund (MDAVF), a Category II Alternative Invest-ment Fund (AIF) with a target corpus of Rs 500 crore and a green-shoe option of Rs 500 crore. First Close was announced on October 8 at Rs 300 crore.

manual tricycles, digital hearing aids, MSIED kits, wheel chairs,

NDMC safai sevaks honoured for services

smart canes, smartphones, etc.



To recognise the services rendered by the safai sevaks of NDMC to maintain the highest standards of sanitation and cleanliness at Khan Market, the Khan Market Traders Association in collaboration with Tata Starbucks India Private Ltd organised a special Breakfast Meet at Starbucks, Khan Market.

BIS grants first certification under Swachh Bharat Mission to Etawah

Bureau of Indian Standards certified Uttar Pradesh government with first IS/ ISO 9001 certification for its Etawah District Swachh Bharat Mission in Luc-know. The certificate was presented by Chief Minister of Uttar Pradesh, Yogi Adityanath to J Selva Kumari, District Magistrate, Etawah in Lucknow. During the

presentation, Dr AC Pandey, Chief Secretary, UP; Dr RK Bajaj, Dy Director General (Stds); NK Kansara. Dy Director General (Northern Re

'Minerals and Metals Outlook 2030' ends



The valedictory session of the two-day international seminar on 'Minerals and Metals - Outlook 2030' organised by NMDC and supported by Ministry of Steel, Ministry of Mines and Ministry of External Affairs, DIPP, Government of India, concluded in

gion) and MAJ Vinod, Head, Lucknow Branch Office, BIS were also present. The Chief Minister of UP appreciated the initiatives of BIS and Etawah district.

Saksham Pedal Delhi 2018' organised



'Saksham Pedal Delhi 2018' was organised by PCRA in partnership with ONGC and other Oil PSUs under the aegis of Ministry of Petro leum and Natural Gas at Jawaharlal Nehru Stadium, New Delhi, Over 6,000 participants from across the country, including national and international cyclists, participated in it.

BSES CSR empowers over 3 lakh women through initiatives



Focusing on women (and girl) empowerment is a key element of BSES CSR programmes, which aims to contribute to welfare and growth of the society in a sustained manner.

In the last four years, the discom's CSR programmes have reached-out to and empowered over three lakh women, which is around 50 per cent of over six lakh beneficiaries

SCOPE holds programme on corporate governance



SCOPE, in association with ICSI, organised a programme on Practical Aspects of Corporate Governance under Companies Act, 2013 and SEBI (LODR) Regulations, 2015. It was organ ised for senior management of CPSEs to update them about cor**CMC** meets to review

law's implementation



Sixth meeting of the Central Monitoring Committee to review the implementation of the 'Prohibition of Employment as Manual Scavengers and their Rehabilitation Act, 2013 (MS Act, 2013) held under the chair-Union Minister of Social Justice and



The employees of Navratna Defence PSU Bharat Electron ics Ltd (BEL) have contributed an amount of Rs 50 lakh to the Karnataka Chief Minister's Relief Fund for relief work



In International Security Expo 2018 being held at Hall No 12-A, ITPO, Pragati Maidan, a pavillion was established by CRPF. The 70 sqm pavilion provides a glimpse into the



It registered growth with turnover of Rs net profit of Rs 15.32 crore in year 2017-18.



OIL undertook 'Swachhta Hi Seva' campaign at Gandhi Smarak Vidyalaya High School, Chaura Raghunathpur village, Bishrakh, Noida. Distribution of 400 jute bags with







Gandhi Jayanti celebration and 'Swachchta Hi Seva' programme organised by Power Grid Corporation of India, Bhubaneswar. Swachchta kits were distributed among 150 families of Srikrishna Palli, Niladri Vihar.

the table below.

Name of the works:

Total No. of works: 3. Estimated Cost:

Class of Contractor:

in the Portal:

Inviting the Bid:

Period of completion

Document in the Portal:

9. Date/Time of Opening of Finance
10. Name & Address of the Officer

11. Date/Time of Opening of Finance
12. Date/Time of Opening of Finance
13. Date/Time of Opening of Finance
14. Date/Time of Opening of Finance
15. Date/Time of Opening of Finance
16. Date/Time of Opening of Finance
17. Date/Time of Opening of Finance
18. Date/Time of Opening of Finance
19. Date/Time of Opening of Opening of Finance
19. Date/Time of Opening of Opening

Date & time of Availability of Bid

Last date/Time for receipt of Bid

Date/Time of Opening of Technical

Date/Time of Opening of Financial Bid:

11. Mode of Payment of Bid Cost & Bid Security:



jointly by MoWR, RD and GR and WAPCOS

NBCC officials carried out massive cleanliness drive at Lodhi Road, New Delhi as part of 'Swachhata Hi Seva' campaign 2018. NBCC officials distributed pamphlets of Swachhata pledge to spread the message.

htclassifieds ON SUNDAY

AVRATRA SPECIA



More than 300 investors participated in Odisha Investors Meet organised recently. Chief Minister Naveen Patnaik was present along with other dignitaries, including ministers and officials of the government



anti-polythene message was also undertaken



13(e)/2018-19 The following nodifications in the schedule of critical dates of this eNIT (SL No 23 page no 16 of the published eNIT) are made with immediate effect Tender Id: 2018_IWD_191487_1. Documents download end date bid submission end date: 14/11/2018 upto 17.00 hrs in place of 31/10/2018 upto 17.00

website www.wbtenders.gov.in and www.wbiwd.gov.in Sd/-Superintending Engineer Mechanical & Electrical Circle

I&W Dte. Govt. of West Bengal

hrs. Details may be seen from the

3000+150 rage connected with local server at EDP centre at with GST) way Workshop Jhansi for Artisan Staff with One ye ite www.ireps.gov.in 2 For d

spletion period: 83 Months, - Date of closing: 15.11.2018 at 15:00 Hrs. 1. Tender will be closed at 15:00 hrs

GOVERNMENT OF ODISHA OFFICE OF THE SUPERINTENDING ENGINEER EASTERN MINOR IRRIGATION CIRCLE, KEONJHAR

Tel No. (06766) 255453, e-Mail ID seemickeonihar@vahoo.com

"e" Procurement Notice

Identification No-03 EMIC (KJR/2018-19) The Superintending Engineer, E.M.I. Circle, Keonjhar on behalf of Governor of Odisha invites percentage rate bids through e-procurement to be received in online mode only for the works as detailed in

Civil Construction work

As mentioned against work

As mentioned against work

25.10.2018 at 11.00 AM

Online

04 (Four) Varies from 136.33 to 158.64 Lakh

09.10.2018 at 10 AM to 22.10.2018 up to 5 PM.

23 10 2018 at 11 00 AM at Office of the S.F. F.M.I.C.

Superintending Engineer., E.M.I. Circle, Keonjhar



निविदा विस्तार सूचनाः इस कार्यालय द्वारा आमंत्रित निविदा संख्या-05/2018-19 जो 1745/वि0न0वि0खं0-सप्तम्/नो0, दिनांव



वितरण निगम लि0

देनांक 12.10.2018 को खोली जानी थी, किन्ही अपरिहार्य कारणों से अब दिनांक 25.10.2018 को खोली जायेगी। बाकी नियम व शर्ते यथावत रहेंगी। अधिशासी अभियन्ता विद्युत नगरीय वितरण खण्ड-सप्तम नोएडा, बिजली चोरी की सूचना 1800-180-3002 पर दें। ''राष्ट्रहित में ऊर्जा बचाएं''। पत्रांकः 12.10.18



Goldhomz 9870195441

RERA Regn. UPRERAAGT10028

DDA APPROVED HOUSING SCHEME

Original Membership Open for Limited Units in Central Govt Officers Housing Society, New Delh (An Initiative by Officers from Ministry of Water Resources, Railways & Defence)

For Employees of various Ministries, Govt. Depts., PSUs, Societies, Corporations etc. in Upcoming Township in Dwarka Extn (L & K-1 Zone) on No Profit No Loss basis to be developed under MPD 2021 by DDA



31st July 2019

UPRERAPRJ4670

Spot Loan sanction

2/3/4 BHK (850 / 1050 / 1350 / 1650 1850 / 2250 sq.ft) Rs 11.000/-

4500 P.SQ.FT K-1 ZONE Special 5% Navratra Discount on Down Payment

lication forms available @ Rs 300/-**GALAXY CENTRAL GOVT. OFFICERS WELFARE HOUSING SOCIETY** –II, Bhikaji Cama Place, New <u>De</u> Mobile: 9968246753, 8750406672





htclassifieds

FARMS



पर्यावरणीय अधिसूचना दिनांक 14.09.2006 के अन्तर्गत लोक सुनवाई हेतु आम-सूचना

सर्वसाधारण को सुचित किया जाता है कि श्री चेतन शर्मा, डायरेक्ट मैंo राजस्थान लिकर्स लिo गमक फर्म ग्राम-चिरौरा, परगना, तहसील-अकबरपुर, जनपद-कानपुर देहात उ०प्र० में 125 किली०/ दिन अनाज आधारित डिस्टलरी, 25 किली०/दिन मॉल्ट स्प्रिट संवंत्र एवं 4.5 मेगावॉट सह-उत्पादन विधुत की परियोजना के पर्यावरणीय स्वीकृति हेतु प्रस्ताव प्रस्तुत किया गया है। उक्त के सन्दर्भ में अवगत कराना है कि ार्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार द्वारा अधिसूचना संख्या-एस०ओ०-1533 दिनांक 14.09.2006 के अनुसार पर्यावरणीय स्वीकृति जारी किए जाने के पूर्व लोक सुनवाई कराए जाने का प्राविधान है एवं इस सचना के माध्यम से क्षेत्रीय आम जनता की आपित्त/सुझाव हेतु 30 दिन का नोटिस दिया जाना आवश्यक है। लोक सुनवाई पैनल की संरचना उक्त पर्यावरणीय अधिसूचना के अनुरूप होती है। उक्त उद्योग के प्रस्ताव से सम्बन्धित अभिलेख निम्नलिखित कार्यालयों में उपलब्ध है।

कार्यालय उपजिलाधिकारी, तहसील-अकबरपुर, कानपुर देहात।

महाप्रबन्धक जिला उद्योग केन्द्र, रनियां, कानपुर देहात।

कार्यालय जिला पंचायत, तहसील-अकबरपुर, कानपुर देहात।

क्षेत्रीय कार्यालय मध्य क्षेत्र, पर्यावरण वन एवं जल वायु परिवर्तन मंत्रालय भारत सरकार पंचम तल केन्द्रीय भवन, सेक्टर-एच, अलीगंज, लखनऊ।

क्षेत्रीय अधिकारी उ०प्र० प्रदूषण नियंत्रण बोर्ड, कानपुर देहात।

उ०प्र० प्रदूषण नियंत्रण बोर्ड, टी०सी०-12वीं, विभूति खण्ड, गोमतीनगर, लखनऊ।

अतः सर्वसाधारण को इस आम सूचना के माध्यम से सूचित किया जाता है कि उक्त परियोजना के ार्यावरणीय स्वीकृति सम्बन्धी प्रकरण के निस्तारण हेतु जनपद-कानपुर देहात के प्रस्तावित स्थल, ग्राम-चिरौरा, रनियां, कानपुर देहात में दिनांक 14.11.2018 को पूर्वान्ह 11.30 बजे से लोक सुनवाई की कार्यवाही जिलाधिकारी कानपुर देहात की अध्यक्षता में निर्धारित की गयी है, जिसमें आप उपस्थित होकर अपना सुझाव व आपत्तियां लिखित रूप से प्रकाशन की तिथि से 30 दिन के अन्दर सम्बन्धित कार्यालय में दे